
This content is from the eCFR and is authoritative but unofficial.

Title 21 – Food and Drugs

Chapter I – Food and Drug Administration, Department of Health and Human Services

Subchapter A – General

Part 73 Listing of Color Additives Exempt from Certification

Subpart A

Foods

- § 73.1 Diluents in color additive mixtures for food use exempt from certification.
- § 73.30 Annatto extract.
- § 73.32 Antarctic krill meal.
- § 73.35 Astaxanthin.
- § 73.37 Astaxanthin dimethyldisuccinate.
- § 73.40 Dehydrated beets (beet powder).
- § 73.50 Ultramarine blue.
- § 73.69 Butterfly pea flower extract.
- § 73.70 Calcium carbonate.
- § 73.75 Canthaxanthin.
- § 73.85 Caramel.
- § 73.90 β -Apo-8'-carotenal.
- § 73.95 β -Carotene.
- § 73.100 Cochineal extract; carmine.
- § 73.125 Sodium copper chlorophyllin.
- § 73.140 Toasted partially defatted cooked cottonseed flour.
- § 73.160 Ferrous gluconate.
- § 73.165 Ferrous lactate.
- § 73.169 Grape color extract.
- § 73.170 Grape skin extract (enocianina).
- § 73.185 Haematococcus algae meal.
- § 73.200 Synthetic iron oxide.
- § 73.225 Jagua (genipin-glycine) blue.
- § 73.250 Fruit juice.
- § 73.260 Vegetable juice.
- § 73.275 Dried algae meal.
- § 73.295 Tagetes (Aztec marigold) meal and extract.
- § 73.297 Myoglobin.
- § 73.300 Carrot oil.
- § 73.315 Corn endosperm oil.
- § 73.340 Paprika.

- § 73.345 Paprika oleoresin.
- § 73.350 Mica-based pearlescent pigments.
- § 73.352 Paracoccus pigment.
- § 73.355 Phaffia yeast.
- § 73.450 Riboflavin.
- § 73.500 Saffron.
- § 73.520 Soy leghemoglobin.
- § 73.530 Spirulina extract.
- § 73.575 Titanium dioxide.
- § 73.585 Tomato lycopene extract; tomato lycopene concentrate.
- § 73.600 Turmeric.
- § 73.615 Turmeric oleoresin.

Subpart B

Drugs

- § 73.1001 Diluents in color additive mixtures for drug use exempt from certification.
- § 73.1010 Alumina (dried aluminum hydroxide).
- § 73.1015 Chromium-cobalt-aluminum oxide.
- § 73.1025 Ferric ammonium citrate.
- § 73.1030 Annatto extract.
- § 73.1070 Calcium carbonate.
- § 73.1075 Canthaxanthin.
- § 73.1085 Caramel.
- § 73.1095 β-Carotene.
- § 73.1100 Cochineal extract; carmine.
- § 73.1125 Potassium sodium copper chlorophyllin (chlorophyllin-copper complex).
- § 73.1150 Dihydroxyacetone.
- § 73.1162 Bismuth oxychloride.
- § 73.1200 Synthetic iron oxide.
- § 73.1298 Ferric ammonium ferrocyanide.
- § 73.1299 Ferric ferrocyanide.
- § 73.1326 Chromium hydroxide green.
- § 73.1327 Chromium oxide greens.
- § 73.1329 Guanine.
- § 73.1350 Mica-based pearlescent pigments.
- § 73.1375 Pyrogallol.
- § 73.1400 Pyrophyllite.
- § 73.1410 Logwood extract.
- § 73.1496 Mica.
- § 73.1530 Spirulina extract.
- § 73.1550 Talc.

- § 73.1575 Titanium dioxide.
- § 73.1645 Aluminum powder.
- § 73.1646 Bronze powder.
- § 73.1647 Copper powder.
- § 73.1991 Zinc oxide.

Subpart C

Cosmetics

- § 73.2030 Annatto.
- § 73.2085 Caramel.
- § 73.2087 Carmine.
- § 73.2095 β -Carotene.
- § 73.2110 Bismuth citrate.
- § 73.2120 Disodium EDTA-copper.
- § 73.2125 Potassium sodium copper chlorophyllin (chlorophyllin-copper complex).
- § 73.2150 Dihydroxyacetone.
- § 73.2162 Bismuth oxychloride.
- § 73.2180 Guaiazulene.
- § 73.2190 Henna.
- § 73.2250 Iron oxides.
- § 73.2298 Ferric ammonium ferrocyanide.
- § 73.2299 Ferric ferrocyanide.
- § 73.2326 Chromium hydroxide green.
- § 73.2327 Chromium oxide greens.
- § 73.2329 Guanine.
- § 73.2400 Pyrophyllite.
- § 73.2496 Mica.
- § 73.2500 Silver.
- § 73.2550 Silver nitrate.
- § 73.2575 Titanium dioxide.
- § 73.2645 Aluminum powder.
- § 73.2646 Bronze powder.
- § 73.2647 Copper powder.
- § 73.2725 Ultramarines.
- § 73.2775 Manganese violet.
- § 73.2991 Zinc oxide.
- § 73.2995 Luminescent zinc sulfide.

Subpart D

Medical Devices

- § 73.3100 1,4-Bis[(2-hydroxyethyl)amino]-9,10-anthracenedione bis(2-methyl-2-propenoic)ester copoly
- § 73.3105 1,4-Bis[(2-methylphenyl)amino]-9,10-anthracenedione.
- § 73.3106 1,4-Bis[4-(2-methacryloxyethyl)phenylamino]anthraquinone copolymers.

- § 73.3107 Carbazole violet.
- § 73.3110 Chlorophyllin-copper complex, oil soluble.
- § 73.3110a Chromium-cobalt-aluminum oxide.
- § 73.3111 Chromium oxide greens.
- § 73.3112 C.I. Vat Orange 1.
- § 73.3115 2-[[2,5-Diethoxy-4-[(4-methylphenyl)thiol]phenyl]azo]-1,3,5-benzenetriol.
- § 73.3117 16,23-Dihydrodinaphtho[2,3-a:2',3'-i] naphth [2',3':6,7] indolo [2,3-c] carbazole-5,10,15,17,22,23-hexayne.
- § 73.3118 N,N'-(9,10-Dihydro-9,10-dioxo-1,5-anthracenediyl) bisbenzamide.
- § 73.3119 7,16-Dichloro-6,15-dihydro-5,9,14,18-anthrazinetetrone.
- § 73.3120 16,17-Dimethoxydinaphtho [1,2,3-cd:3',2',1'-lm] perylene-5,10-dione.
- § 73.3121 Poly(hydroxyethyl methacrylate)-dye copolymers.
- § 73.3122 4-[(2,4-dimethylphenyl)azo]-2,4-dihydro-5-methyl-2-phenyl-3H-pyrazol-3-one.
- § 73.3123 6-Ethoxy-2-(6-ethoxy-3-oxobenzo[b]thien-2(3H)-ylidene) benzo[b]thiophen-3 (2H)-one.
- § 73.3124 Phthalocyanine green.
- § 73.3125 Iron oxides.
- § 73.3126 Titanium dioxide.
- § 73.3127 Vinyl alcohol/methyl methacrylate-dye reaction products.
- § 73.3128 Mica-based pearlescent pigments.
- § 73.3129 Disodium
1-amino-4-[[4-[(2-bromo-1-oxoallyl)amino]-2-sulfonatophenyl]amino]-9,10-dihydro-9,10-dioxo-1,5-anthracene.

PART 73—LISTING OF COLOR ADDITIVES EXEMPT FROM CERTIFICATION

Authority: 21 U.S.C. 321, 341, 342, 343, 348, 351, 352, 355, 361, 362, 371, 379e.

Source: 42 FR 15643, Mar. 22, 1977, unless otherwise noted.

Editorial Note: Nomenclature changes to part 73 appear at 66 FR 66742, Dec. 27, 2001.

Subpart A—Foods

§ 73.1 Diluents in color additive mixtures for food use exempt from certification.

The following substances may be safely used as diluents in color additive mixtures for food use exempt from certification, subject to the condition that each straight color in the mixture has been exempted from certification or, if not so exempted, is from a batch that has previously been certified and has not changed in composition since certification. If a specification for a particular diluent is not set forth in this part 73, the material shall be of a purity consistent with its intended use.

(a) *General use.*

- (1) Substances that are generally recognized as safe under the conditions set forth in section 201(s) of the act.
- (2) Substances meeting the definitions and specifications set forth under subchapter B of this chapter, and which are used only as prescribed by such regulations.
- (3) The following:

Substances	Definitions and specifications	Restrictions
Calcium disodium EDTA (calcium disodium ethyl-enediamine-tetraacetate)	Contains calcium disodium ethyl-enediamine-tetraacetate dihydrate (CAS Reg. No. 6766-87-6) as set forth in the Food Chemicals Codex, 3d ed., p. 50, 1981	May be used in aqueous solutions and aqueous dispersions as a preservative and sequestrant in color additive mixtures intended only for ingested use; the color additive mixture (solution or dispersion) may contain not more than 1 percent by weight of the diluent (calculated as anhydrous calcium disodium ethyl-enediamine-tetraacetate).
Castor oil	As set forth in U.S.P. XVI	Not more than 500 p.p.m. in the finished food. Labeling of color additive mixtures containing castor oil shall bear adequate directions for use that will result in a food meeting this restriction.
Diocylsodium sulfosuccinate	As set forth in sec. 172.810 of this chapter	Not more than 9 p.p.m. in the finished food. Labeling of color additive mixtures containing diocylsodium sulfosuccinate shall bear adequate directions for use that will result in a food meeting this restriction.
Disodium EDTA (disodium ethyl-enediamine-tetraacetate)	Contains disodium ethyl-enediamine-tetraacetate dihydrate (CAS Reg. No. 6381-92-6) as set forth in the Food Chemicals Codex, 3d ed., p. 104, 1981	May be used in aqueous solutions and aqueous dispersions as a preservative and sequestrant in color additive mixtures intended only for ingested use; the color additive mixture (solution or dispersion) may contain not more than 1 percent by weight of the diluent (calculated as anhydrous disodium ethyl-enediamine-tetraacetate).

(b) *Special use —*

- (1) *Diluents in color additive mixtures for marking food —*

- (i) *Inks for marking food supplements in tablet form, gum, and confectionery.* Items listed in paragraph (a) of this section and the following:

Substances	Definitions and specifications	Restrictions
Alcohol, SDA-3A	As set forth in 26 CFR pt. 212	No residue.
<i>n</i> -Butyl alcohol		Do.
Cetyl alcohol	As set forth in N.F. XI	Do.
Cyclohexane		Do.
Ethyl cellulose	As set forth in sec. 172.868 of this chapter	
Ethylene glycol monoethyl ether		Do.
Isobutyl alcohol		Do.
Isopropyl alcohol		Do.
Polyoxyethylene sorbitan monooleate (polysorbate 80)	As set forth in sec. 172.840 of this chapter	
Polyvinyl acetate	Molecular weight, minimum 2,000	
Polyvinylpyrrolidone	As set forth in sec. 173.55 of this chapter	
Rosin and rosin derivatives	As set forth in sec. 172.615 of this chapter	
Shellac, purified	Food grade	

- (ii) *Inks for marking fruit and vegetables.* Items listed in paragraph (a) of this section and the following:

Substances	Definitions and specifications	Restrictions
Acetone	As set forth in N.F. XI	No residue.
Alcohol, SDA-3A	As set forth in 26 CFR pt. 212	Do.
Benzoin	As set forth in U.S.P. XVI	
Copal, Manila		
Ethyl acetate	As set forth in N.F. XI	Do.
Ethyl cellulose	As set forth in sec. 172.868 of this chapter	
Methylene chloride		Do.
Polyvinylpyrrolidone	As set forth in sec. 173.55 of this chapter	
Rosin and rosin derivatives	As set forth in sec. 172.615 of this chapter	
Silicon dioxide	As set forth in sec. 172.480 of this	Not more than 2 pct of the ink

Substances	Definitions and specifications	Restrictions
Terpene resins, natural	chapter As set forth in sec. 172.615 of this chapter	solids.
Terpene resins, synthetic	Polymers of α - and β -pinene	

- (2) *Diluents in color additive mixtures for coloring shell eggs.* Items listed in paragraph (a) of this section and the following, subject to the condition that there is no penetration of the color additive mixture or any of its components through the eggshell into the egg:

Alcohol, denatured, formula 23A (26 CFR part 212), Internal Revenue Service.

Damar gum (resin).

Diethylene glycol distearate.

Dioctyl sodium sulfosuccinate.

Ethyl cellulose (as identified in § 172.868 of this chapter).

Ethylene glycol distearate.

Japan wax.

Limed rosin.

Naphtha.

Pentaerythritol ester of fumaric acid-rosin adduct.

Polyethylene glycol 6000 (as identified in § 172.820 of this chapter).

Polyvinyl alcohol.

Rosin and rosin derivatives (as identified in § 172.615 of this chapter).

- (3) **Miscellaneous special uses.** Items listed in paragraph (a) of this section and the following:

Substances	Definitions and specifications	Restrictions
Polyvinylpyrrolidone	As set forth in sec. 173.55 of this chapter	In or as food-tablet coatings; limit, not more than 0.1 pct in the finished food; labeling of color additive mixtures containing polyvinylpyrrolidone shall bear adequate directions for use that will result in a food meeting this restriction.

[42 FR 15643, Mar. 22, 1977, as amended at 57 FR 32175, July 21, 1992; 69 FR 24511, May 4, 2004]

§ 73.30 Annatto extract.

(a) **Identity.**

- (1) The color additive annatto extract is an extract prepared from annatto seed, *Bixa orellana* L., using any one or an appropriate combination of the food-grade extractants listed in paragraph (a)(1)(i) and (ii) of this section:
- (i) Alkaline aqueous solution, alkaline propylene glycol, ethyl alcohol or alkaline solutions thereof, edible vegetable oils or fats, mono- and diglycerides from the glycerolysis of edible vegetable oils or fats. The alkaline alcohol or aqueous extracts may be treated with food-grade acids to precipitate annatto pigments, which are separated from the liquid and dried, with or without intermediate recrystallization, using the solvents listed under paragraph (a)(1)(ii) of this section. Food-grade alkalis or carbonates may be added to adjust alkalinity.
- (ii) Acetone, ethylene dichloride, hexane, isopropyl alcohol, methyl alcohol, methylene chloride, trichloroethylene.
- (2) Color additive mixtures for food use made with annatto extract may contain only diluents that are suitable and that are listed in this subpart as safe in color additive mixtures for coloring foods.

(b) **Specifications.** Annatto extract, including pigments precipitated therefrom, shall conform to the following specifications:

- (1) Arsenic (as As), not more than 3 parts per million; lead as Pb, not more than 10 parts per million.
- (2) When solvents listed under paragraph (a)(1)(ii) of this section are used, annatto extract shall contain no more solvent residue than is permitted of the corresponding solvents in spice oleoresins under applicable food additive regulations in parts 170 through 189 of this chapter.

(c) **Uses and restrictions.** Annatto extract may be safely used for coloring foods generally, in amounts consistent with good manufacturing practice, except that it may not be used to color foods for which standards of identity have been promulgated under section 401 of the act unless added color is authorized by such standards.

- (d) **Labeling.** The label of the color additive and any mixtures prepared therefrom and intended solely or in part for coloring purposes shall conform to the requirements of § 70.25 of this chapter. Labels shall bear information showing that the color is derived from annatto seed. The requirements of § 70.25(a) of this chapter that all ingredients shall be listed by name shall not be construed as requiring the declaration of residues of solvents listed in paragraph (a)(1)(ii) of this section.
- (e) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health and therefore batches thereof are exempt from the certification requirements of section 721(c) of the act.

§ 73.32 Antarctic krill meal.

- (a) **Identity.**
 - (1) The color additive Antarctic krill meal consists of the cooked, dried, and ground biomass of whole *Euphausia superba* (Antarctic krill), with or without removal of the lipid fraction. The lipid fraction may be fully or partially extracted with ethanol, followed by removal of residual ethanol, to produce defatted Antarctic krill meal. Whole Antarctic krill meal, produced when the lipid fraction is not removed, may contain ethoxyquin as a preservative.
 - (2) Color additive mixtures for fish feed use made with Antarctic krill meal may contain only those diluents that are suitable and are listed in this subpart as safe for use in color additive mixtures for coloring foods.
- (b) **Specifications.** Antarctic krill meal must conform to the following specifications and must be free from impurities, other than those named, to the extent that such other impurities may be avoided by good manufacturing practice:
 - (1) Physical state, solid.
 - (2) Ethoxyquin, not more than 250 milligrams per kilogram (mg/kg) (250 parts per million (ppm)) in whole Antarctic krill meal.
 - (3) Lead, not more than 2 mg/kg (2 ppm).
 - (4) Arsenic, not more than 5 mg/kg (5 ppm).
 - (5) Mercury, not more than 1 mg/kg (1 ppm).
 - (6) Cadmium, not more than 2 mg/kg (2 ppm).
 - (7) Fluoride, not more than 2,500 mg/kg (2,500 ppm).
 - (8) Astaxanthin, not more than 170 mg/kg (170 ppm) in whole Antarctic krill meal; not more than 90 mg/kg (90 ppm) in defatted Antarctic krill meal.
- (c) **Uses and restrictions.** Antarctic krill meal may be safely used in salmonid feed in accordance with the following prescribed conditions:
 - (1) The color additive is used to enhance the pink to orange-red color of the flesh of salmonid fish;
 - (2) The color additive may be used at levels not to exceed 4 percent by weight in freshwater salmonid feed and 12 percent by weight in marine salmonid feed;
 - (3) The quantity of the color additive incorporated in the feed is such that the finished feed meets the tolerance limitation for ethoxyquin in animal feed prescribed in § 573.380 of this chapter; and

- (4) The quantity of astaxanthin in the finished feed, from Antarctic krill meal when used alone or in combination with other astaxanthin color additive sources listed in this part, must not exceed 80 mg/kg astaxanthin (72 grams per ton) in the finished feed.

(d) **Labeling requirements.**

- (1) The labeling of the color additive and any premixes prepared therefrom must bear expiration dates for the sealed and open container (established through generally accepted stability testing methods), other information required by § 70.25 of this chapter, a statement of the concentration of ethoxyquin contained therein (whole Antarctic krill meal only), and adequate directions to prepare a final product complying with the limitations prescribed in paragraph (c) of this section.
- (2) The presence of the color additive in finished fish feed prepared according to paragraph (c) of this section must be declared in accordance with § 501.4 of this chapter.
- (3) The presence of the color additive in salmonid fish that have been fed feeds containing Antarctic krill meal must be declared in accordance with §§ 101.22(b), (c), and (k)(2) and 101.100(a)(2) of this chapter.

- (e) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health, and therefore batches thereof are exempt from the certification requirements of section 721(c) of the Federal Food, Drug, and Cosmetic Act.

[87 FR 27935, May 10, 2022]

§ 73.35 Astaxanthin.

(a) **Identity.**

- (1) The color additive astaxanthin is 3, 3'-dihydroxy- β , β -carotene-4, 4'-dione.
- (2) Astaxanthin may be added to the fish feed only as a component of a stabilized color additive mixture. Color additive mixtures for fish feed use made with astaxanthin may contain only those diluents that are suitable and are listed in this subpart as safe for use in color additive mixtures for coloring foods.

- (b) **Specifications.** Astaxanthin shall conform to the following specifications and shall be free from impurities other than those named to the extent that such impurities may be avoided by good manufacturing practice:

Physical state, solid.

0.05 percent solution in chloroform, complete and clear.

Absorption maximum wavelength 484-493 nanometers (in chloroform).

Residue on ignition, not more than 0.1 percent.

Total carotenoids other than astaxanthin, not more than 4 percent.

Lead, not more than 5 parts per million.

Arsenic, not more than 2 parts per million.

Mercury, not more than 1 part per million.

Heavy metals, not more than 10 parts per million.

Assay, minimum 96 percent.

(c) **Uses and restrictions.** Astaxanthin may be safely used in the feed of salmonid fish in accordance with the following prescribed conditions:

- (1) The color additive is used to enhance the pink to orange-red color of the flesh of salmonid fish.
- (2) The quantity of color additive in feed is such that the color additive shall not exceed 80 milligrams per kilogram (72 grams per ton) of finished feed.

(d) **Labeling requirements.**

- (1) The labeling of the color additive and any premixes prepared therefrom shall bear expiration dates for the sealed and open container (established through generally accepted stability testing methods), other information required by § 70.25 of this chapter, and adequate directions to prepare a final product complying with the limitations prescribed in paragraph (c) of this section.
- (2) The presence of the color additive in finished fish feed prepared according to paragraph (c) of this section shall be declared in accordance with § 501.4 of this chapter.
- (3) The presence of the color additive in salmonid fish that have been fed feeds containing astaxanthin shall be declared in accordance with §§ 101.22(k)(2) and 101.100(a)(2) of this chapter.

(e) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health, and therefore batches thereof are exempt from the certification requirements of section 721(c) of the act.

[60 FR 18738, Apr. 13, 1995]

§ 73.37 Astaxanthin dimethyldisuccinate.

(a) **Identity.**

- (1) The color additive astaxanthin dimethyldisuccinate is 3,3'-bis(4-methoxy-1,4-dioxobutoxy)- β,β -carotene-4,4'-dione.
- (2) Astaxanthin dimethyldisuccinate may be added to the fish feed only as a component of a stabilized mixture. Color additive mixtures for fish feed use made with astaxanthin dimethyldisuccinate may contain only those diluents that are suitable and are listed in this subpart as safe for use in color additive mixtures for coloring foods.

(b) **Specifications.** Astaxanthin dimethyldisuccinate shall conform to the following specifications and shall be free from impurities other than those named to the extent that such impurities may be avoided by good manufacturing practice:

- (1) Physical state, solid.

- (2) 0.05 percent solution in chloroform, complete and clear.
 - (3) Absorption maximum wavelength 484-493 nanometers (in chloroform).
 - (4) Residue on ignition, not more than 0.1 percent.
 - (5) Total carotenoids other than astaxanthin dimethyldisuccinate, not more than 4 percent.
 - (6) Lead, not more than 5 milligrams per kilogram (mg/kg) (5 parts per million).
 - (7) Arsenic, not more than 2 mg/kg (2 parts per million).
 - (8) Mercury, not more than 1 mg/kg (1 part per million).
 - (9) Heavy metals, not more than 10 mg/kg (10 parts per million).
 - (10) Assay including astaxanthin dimethyldisuccinate, astaxanthin monomethylsuccinate, and astaxanthin, minimum 96 percent.
- (c) **Uses and restrictions.** Astaxanthin dimethyldisuccinate may be safely used in the feed of salmonid fish in accordance with the following prescribed conditions:
- (1) The color additive is used to enhance the pink to orange-red color of the flesh of salmonid fish.
 - (2) The quantity of astaxanthin dimethyldisuccinate in the finished feed, when used alone or in combination with other astaxanthin color additive sources listed in this part 73, shall not exceed 110 milligrams per kilogram (mg/kg), which is equivalent to 80 mg/kg astaxanthin (72 grams per ton).
- (d) **Labeling requirements.**
- (1) The labeling of the color additive and any premixes prepared therefrom shall bear expiration dates for the sealed and open container (established through generally accepted stability testing methods), other information required by § 70.25 of this chapter, and adequate directions to prepare a final product complying with the limitations prescribed in paragraph (c) of this section.
 - (2) The presence of the color additive in finished fish feed prepared according to paragraph (c) of this section shall be declared in accordance with § 501.4 of this chapter.
 - (3) The presence of the color additive in salmonid fish that have been fed feeds containing astaxanthin dimethyldisuccinate shall be declared in accordance with §§ 101.22(b), (c), and (k)(2), and 101.100(a)(2) of this chapter.
- (e) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health, and therefore batches thereof are exempt from the certification requirements of section 721(c) of the act.

[74 FR 57251, Nov. 5, 2009]

§ 73.40 Dehydrated beets (beet powder).

- (a) **Identity.**
- (1) The color additive dehydrated beets is a dark red powder prepared by dehydrating sound, mature, good quality, edible beets.
 - (2) Color additive mixtures made with dehydrated beets may contain as diluents only those substances listed in this subpart as safe and suitable for use in color additive mixtures for coloring foods.

(b) **Specifications.** The color additive shall conform to the following specifications:

Volatile matter, not more than 4 percent.

Acid insoluble ash, not more than 0.5 percent.

Lead (as Pb), not more than 10 parts per million.

Arsenic (as As), not more than 1 part per million.

Mercury (as Hg), not more than 1 part per million.

(c) **Uses and restrictions.** Dehydrated beets may be safely used for the coloring of foods generally in amounts consistent with good manufacturing practice, except that it may not be used to color foods for which standards of identity have been promulgated under section 401 of the act, unless the use of added color is authorized by such standards.

(d) **Labeling.** The label of the color additive and any mixtures prepared therefrom intended solely or in part for coloring purposes shall conform to the requirements of § 70.25 of this chapter.

(e) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health, and therefore batches thereof are exempt from the certification requirements of section 721(c) of the act.

§ 73.50 Ultramarine blue.

(a) **Identity.** The color additive ultramarine blue is a blue pigment obtained by calcining a mixture of kaolin, sulfur, sodium carbonate, and carbon at temperatures above 700 °C. Sodium sulfate and silica may also be incorporated in the mixture in order to vary the shade. The pigment is a complex sodium aluminum sulfo-silicate having the approximate formula $\text{Na}_7\text{Al}_6\text{Si}_6\text{O}_{24}\text{S}_3$.

(b) **Specifications.** Ultramarine blue shall conform to the following specifications:

Lead (as Pb), not more than 10 parts per million.

Arsenic (as As), not more than 1 part per million.

Mercury (as Hg), not more than 1 part per million.

(c) **Uses and restrictions.** The color additive ultramarine blue may be safely used for coloring salt intended for animal feed subject to the restriction that the quantity of ultramarine blue does not exceed 0.5 percent by weight of the salt.

(d) **Labeling requirements.** The color additive shall be labeled in accordance with the requirements of § 70.25 of this chapter.

(e) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health, and therefore batches thereof are exempt from the certification requirements of section 721(c) of the act.

§ 73.69 Butterfly pea flower extract.

(a) **Identity.**

- (1) The color additive butterfly pea flower extract is a dark blue liquid prepared by the aqueous extraction of dried butterfly pea flowers from *Clitoria ternatea*. The extract is further processed by ultrafiltration to remove residues of plant products, followed by concentration and pasteurization. Citric acid may be used to control the pH. The color additive contains anthocyanins as the principal coloring component.
- (2) Color additive mixtures for food use made with butterfly pea flower extract may contain only those diluents that are suitable and are listed in this subpart as safe for use in color additive mixtures for coloring foods.

(b) **Specifications.** Butterfly pea flower extract must conform to the following specifications and must be free from impurities, other than those named, to the extent that such other impurities may be avoided by good manufacturing practice:

- (1) pH, not less than 3.0 and not more than 4.5 at 25 °C.
- (2) Lead, not more than 1 milligram per kilogram (mg/kg) (1 part per million (ppm)).
- (3) Arsenic, not more than 1 mg/kg (1 ppm).
- (4) Mercury, not more than 1 mg/kg (1 ppm).
- (5) Cadmium, not more than 1 mg/kg (1 ppm).

(c) **Uses and restrictions.** Butterfly pea flower extract may be safely used for coloring alcoholic beverages, sport and energy drinks, flavored or carbonated water, fruit drinks (including smoothies and grain drinks), carbonated soft drinks (fruit-flavored or juice, ginger ale, and root beer), fruit and vegetable juice, nutritional beverages, chewing gum, teas, coated nuts, liquid coffee creamers (dairy and non-dairy), ice cream and frozen dairy desserts, hard candy, dairy and non-dairy drinks, fruit preparations in yogurts, and soft candy in amounts consistent with good manufacturing practice, except that it may not be used for coloring foods for which standards of identity have been issued under section 401 of the Federal Food, Drug, and Cosmetic Act, unless the use of added color is authorized by such standards.

(d) **Labeling requirements.** The label of the color additive and any mixtures prepared therefrom intended solely or in part for coloring purposes must conform to the requirements of § 70.25 of this chapter.

(e) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health and therefore batches are exempt from the certification requirements of section 721(c) of the Federal Food, Drug, and Cosmetic Act.

[86 FR 49233, Sept. 2, 2021]

§ 73.70 Calcium carbonate.

(a) **Identity.**

- (1) The color additive calcium carbonate is a fine, white powder consisting essentially of calcium carbonate (CaCO₃) prepared either by grinding naturally occurring limestone or synthetically, by precipitation.

- (2) Color additive mixtures for food use made with calcium carbonate may contain only those diluents that are suitable and that are listed in this subpart as safe for use in color additive mixtures for coloring foods.
- (b) **Specifications.** Calcium carbonate must meet the specifications given in calcium carbonate (FCC 13) and limestone, ground (FCC 13).
- (c) **Uses and restrictions.** Calcium carbonate may be safely used in amounts consistent with good manufacturing practice to color dietary supplement tablets and capsules (including coatings and printing inks), soft and hard candies and mints, and in inks used on the surface of chewing gum, except that it may not be used to color chocolate for which standards of identity have been promulgated under section 401 of the Federal Food, Drug, and Cosmetic Act unless added color is authorized by such standards.
- (d) **Labeling requirements.** The label of the color additive and of any mixtures prepared therefrom intended solely or in part for coloring purposes must conform to the requirements of § 70.25 of this chapter.
- (e) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health, and, therefore, batches thereof are exempt from the certification requirements of section 721(c) of the Federal Food, Drug, and Cosmetic Act.
- (f) **Incorporation by reference.** Material listed in this paragraph (f) is incorporated by reference into this section with the approval of the Director of the Federal Register under 5 U.S.C. 552(a) and 1 CFR part 51. All approved material is available for inspection at the Food and Drug Administration and at the National Archives and Records Administration (NARA). Contact the Food and Drug Administration between 9 a.m. and 4 p.m., Monday through Friday at: Dockets Management Staff, (HFA-305), Food and Drug Administration, 5630 Fishers Lane, Rm. 1061, Rockville, MD 20852, 240-402-7500. For information on the availability of this material at NARA, email: fr.inspection@nara.gov; website: www.archives.gov/federal-register/cfr/ibr-locations.html. You may obtain the material from the U.S. Pharmacopeial Convention, 12601 Twinbrook Pkwy., Rockville, MD 20852; website: www.usp.org.
- (1) Limestone, Ground, *Food Chemicals Codex*, 13th edition, effective June 1, 2022 (FCC 13).
- (2) Calcium Carbonate, *Food Chemicals Codex*, 13th edition, effective June 1, 2022 (FCC 13).

[82 FR 51557, Nov. 7, 2017, as amended at 87 FR 58448, Sept. 27, 2022]

§ 73.75 Canthaxanthin.

- (a) **Identity.**
 - (1) The color additive canthaxanthin is β -carotene-4,4'-dione.
 - (2) Color additive mixtures for food use made with canthaxanthin may contain only those diluents that are suitable and that are listed in this subpart as safe for use in color additive mixtures for coloring foods.
- (b) **Specifications.** Canthaxanthin shall conform to the following specifications and shall be free from impurities other than those named to the extent that such other impurities may be avoided by good manufacturing practice:

Physical state, solid.

1 percent solution in chloroform, complete and clear.

Melting range (decomposition), 207 °C. to 212 °C. (corrected).

Loss on drying, not more than 0.2 percent.

Residue on ignition, not more than 0.2 percent.

Total carotenoids other than trans-canthaxanthin, not more than 5 percent.

Lead, not more than 10 parts per million.

Arsenic, not more than 3 parts per million.

Mercury, not more than 1 part per million.

Assay, 96 to 101 percent.

(c) Use and restrictions.

- (1) The color additive canthaxanthin may be safely used for coloring foods generally subject to the following restrictions:
 - (i) The quantity of canthaxanthin does not exceed 30 milligrams per pound of solid or semisolid food or per pint of liquid food; and
 - (ii) It may not be used to color foods for which standards of identity have been promulgated under section 401 of the act unless added color is authorized by such standards.
- (2) Canthaxanthin may be safely used in broiler chicken feed to enhance the yellow color of broiler chicken skin in accordance with the following conditions: The quantity of canthaxanthin incorporated in the feed shall not exceed 4.41 milligrams per kilogram (4 grams per ton) of complete feed to supplement other known sources of xanthophyll and associated carotenoids to accomplish the intended effect.
- (3) Canthaxanthin may be safely used in the feed of salmonid fish in accordance with the following prescribed conditions:
 - (i) Canthaxanthin may be added to the fish feed only in the form of a stabilized color additive mixture;
 - (ii) The color additive is used to enhance the pink to orange-red color of the flesh of salmonid fish; and
 - (iii) The quantity of color additive in feed shall not exceed 80 milligrams per kilogram (72 grams per ton) of finished feed.

(d) Labeling requirements.

- (1) The labeling of the color additive and any mixture prepared therefrom intended solely or in part for coloring purposes shall conform to the requirements of § 70.25 of this chapter.

- (2) For purposes of coloring fish, the labeling of the color additive and any premixes prepared therefrom shall bear expiration dates (established through generally accepted stability testing methods) for the sealed and open container, other information required by § 70.25 of this chapter, and adequate directions to prepare a final product complying with the limitations prescribed in paragraph (c)(3) of this section.
- (3) The presence of the color additive in finished fish feed prepared according to paragraph (c)(3) of this section shall be declared in accordance with § 501.4 of this chapter.
- (4) The presence of the color additive in salmonid fish that have been fed feeds containing canthaxanthin shall be declared in accordance with §§ 101.22(b), (c), and (k)(2), and 101.100(a)(2) of this chapter.
- (e) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health, and therefore batches thereof are exempt from the certification requirements of section 721(c) of the act.

[42 FR 15643, Mar. 22, 1977, as amended at 50 FR 47534, Nov. 19, 1985; 63 FR 14817, Mar. 27, 1998]

§ 73.85 Caramel.

(a) **Identity.**

- (1) The color additive caramel is the dark-brown liquid or solid material resulting from the carefully controlled heat treatment of the following food-grade carbohydrates:

Dextrose.

Invert sugar.

Lactose.

Malt sirup.

Molasses.

Starch hydrolysates and fractions thereof.

Sucrose.

- (2) The food-grade acids, alkalis, and salts listed in this subparagraph may be employed to assist caramelization, in amounts consistent with good manufacturing practice.

(i) **Acids:**

Acetic acid.

Citric acid.

Phosphoric acid.

Sulfuric acid.

Sulfurous acid.

(ii) Alkalis:

Ammonium hydroxide.

Calcium hydroxide U.S.P.

Potassium hydroxide.

Sodium hydroxide.

(iii) Salts: Ammonium, sodium, or potassium carbonate, bicarbonate, phosphate (including dibasic phosphate and monobasic phosphate), sulfate, and sulfite.

(3) Polyglycerol esters of fatty acids, identified in § 172.854 of this chapter, may be used as antifoaming agents in amounts not greater than that required to produce the intended effect.

(4) Color additive mixtures for food use made with caramel may contain only diluents that are suitable and that are listed in this subpart as safe in color additive mixtures for coloring foods.

(b) **Specifications.** Caramel shall conform to the following specifications:

Lead (as Pb), not more than 10 parts per million.

Arsenic (as As), not more than 3 parts per million.

Mercury (as Hg), not more than 0.1 part per million.

(c) **Uses and restrictions.** Caramel may be safely used for coloring foods generally, in amounts consistent with good manufacturing practice, except that it may not be used to color foods for which standards of identity have been promulgated under section 401 of the act unless added color is authorized by such standards.

(d) **Labeling.** The label of the color additive and any mixtures prepared therefrom and intended solely or in part for coloring purposes shall conform to the requirements of § 70.25 of this chapter.

(e) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health and therefore batches thereof are exempt from the certification requirements of section 721(c) of the act.

§ 73.90 β -Apo-8'-carotenal.

(a) **Identity.**

(1) The color additive is β -apo-8'-carotenal.

(2) Color additive mixtures for food use made with β -apo-8'-carotenal may contain only diluents that are suitable and that are listed in this subpart as safe in color additive mixtures for coloring foods.

(b) **Specifications.** β -Apo-8'-carotenal shall conform to the following specifications:

Physical state, solid.

1 percent solution in chloroform, clear.

Melting point (decomposition), 136 °C.-140 °C. (corrected).

Loss of weight on drying, not more than 0.2 percent.

Residue on ignition, not more than 0.2 percent.

Lead (as Pb), not more than 10 parts per million.

Arsenic (as As), not more than 1 part per million.

Assay (spectrophotometric), 96-101 percent.

(c) **Uses and restrictions.** The color additive β -apo-8'-carotenal may be safely used for coloring foods generally, subject to the following restrictions:

(1) The quantity of β -apo-8'-carotenal does not exceed 15 milligrams per pound of solid or semisolid food or 15 milligrams per pint of liquid food.

(2) It may not be used to color foods for which standards of identity have been promulgated under section 401 of the act unless added color is authorized by such standards.

(d) **Labeling.** The label of the color additive and any mixtures prepared therefrom and intended solely or in part for coloring purposes shall conform to the requirements of § 70.25 of this chapter.

(e) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health and therefore batches thereof are exempt from the certification requirements of section 721(c) of the act.

§ 73.95 β -Carotene.

(a) **Identity.**

(1) The color additive is β -carotene prepared synthetically or obtained from natural sources.

(2) Color additive mixtures for food use made with β -carotene may contain only diluents that are suitable and that are listed in this subpart as safe in color additive mixtures for coloring foods.

(b) **Specifications.** β -carotene shall conform to the following specifications:

Physical state, solid.

1 percent solution in chloroform, clear.

Loss of weight on drying, not more than 0.2 percent.

Residue on ignition, not more than 0.2 percent.

Lead (as Pb), not more than 10 parts per million.

Arsenic (as As), not more than 3 parts per million.

Assay (spectrophotometric), 96-101 percent.

- (c) **Uses and restrictions.** The color additive β -carotene may be safely used for coloring foods generally, in amounts consistent with good manufacturing practice, except that it may not be used to color those foods for which standards of identity have been promulgated under section 401 of the act unless added color is authorized by such standards.
- (d) **Labeling.** The label of the color additive and any mixtures prepared therefrom and intended solely or in part for coloring purposes shall conform to the requirements of § 70.25 of this chapter.
- (e) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health and therefore batches thereof are exempt from the certification requirements of section 721(c) of the act.

§ 73.100 Cochineal extract; carmine.

(a) **Identity.**

- (1) The color additive cochineal extract is the concentrated solution obtained after removing the alcohol from an aqueous-alcoholic extract of cochineal (*Dactylopius coccus costa* (*Coccus cacti* L.)). The coloring principle is chiefly carminic acid.
- (2) The color additive carmine is the aluminum or calcium-aluminum lake on an aluminum hydroxide substrate of the coloring principles, chiefly carminic acid, obtained by an aqueous extraction of cochineal (*Dactylopius coccus costa* (*Coccus cacti* L.)).
- (3) Color additive mixtures for food use made with cochineal extract or carmine may contain only diluents that are suitable and that are listed in this subpart as safe in color additive mixtures for coloring foods.

(b) **Specifications.**

- (1) Cochineal extract shall conform to the following specifications:

pH, not less than 5.0 and not more than 5.5 at 25 °C.

Protein (N × 6.25), not more than 2.2 percent.

Total solids, not less than 5.7 and not more than 6.3 percent.

Methyl alcohol, not more than 150 parts per million.

Lead (as Pb), not more than 10 parts per million.

Arsenic (as As), not more than 1 part per million.

Carminic acid, not less than 1.8 percent.

- (2) Carmine shall conform to the following specifications:

Volatile matter (at 135 °C. for 3 hours), not more than 20.0 percent.

Ash, not more than 12.0 percent.

Lead (as Pb), not more than 10 parts per million.

Arsenic (as As), not more than 1 part per million.

Carminic acid, not less than 50.0 percent.

Carmine and cochineal extract shall be pasteurized or otherwise treated to destroy all viable *Salmonella* microorganisms. Pasteurization or such other treatment is deemed to permit the adding of safe and suitable substances (other than chemical preservatives) that are essential to the method of pasteurization or other treatment used. For the purposes of this paragraph, safe and suitable substances are those substances that perform a useful function in the pasteurization or other treatment to render the carmine and cochineal extract free of viable *Salmonella* microorganisms, which substances are not food additives as defined in section 201(s) of the act or, if they are food additives as so defined, are used in conformity with regulations established pursuant to section 409 of the act.

(c) **Uses and restrictions.** Carmine and cochineal extract may be safely used for coloring foods generally in amounts consistent with good manufacturing practice, except that they may not be used to color foods for which standards of identity have been promulgated under section 401 of the act unless added color is authorized by such standards.

(d) **Labeling requirements.**

(1) The label of the color additives and any mixtures intended solely or in part for coloring purposes prepared therefrom shall conform to the requirements of § 70.25 of this chapter.

(2) The label of food products intended for human use, including butter, cheese, and ice cream, that contain cochineal extract or carmine shall specifically declare the presence of the color additive by listing its respective common or usual name, "cochineal extract" or "carmine," in the statement of ingredients in accordance with § 101.4 of this chapter.

(e) **Exemption from certification.** Certification of these color additives is not necessary for the protection of the public health, and therefore batches thereof are exempt from the certification requirements of section 721(c) of the act.

[42 FR 15643, Mar. 22, 1977, as amended at 74 FR 216, Jan. 5, 2009]

§ 73.125 Sodium copper chlorophyllin.

(a) **Identity.**

(1) The color additive sodium copper chlorophyllin is a green to black powder prepared from chlorophyll by saponification and replacement of magnesium by copper. Chlorophyll is extracted from alfalfa (*Medicago sativa*) using any one or a combination of the solvents acetone, ethanol, and hexane.

(2) Color additive mixtures made with sodium copper chlorophyllin may contain only those diluents that are suitable and are listed in this subpart as safe for use in color additive mixtures for coloring foods.

- (b) **Specifications.** Sodium copper chlorophyllin shall conform to the following specifications and shall be free from impurities other than those named to the extent that such impurities may be avoided by good manufacturing practice:
 - (1) Moisture, not more than 5.0 percent.
 - (2) Solvent residues (acetone, ethanol, and hexane), not more than 50 parts per million, singly or, in combination.
 - (3) Total copper, not less than 4 percent and not more than 6 percent.
 - (4) Free copper, not more than 200 parts per million.
 - (5) Lead (as Pb), not more than 10 parts per million.
 - (6) Arsenic (as As), not more than 3 parts per million.
 - (7) Mercury (as Hg), not more than 0.5 part per million.
 - (8) Ratio of absorbance at 405 nanometers (nm) to absorbance at 630 nm, not less than 3.4 and not more than 3.9.
 - (9) Total copper chlorophyllins, not less than 95 percent of the sample dried at 100 °C for 1 hour.
- (c) **Uses and restrictions.** Sodium copper chlorophyllin may be safely used to color citrus-based dry beverage mixes in an amount not exceeding 0.2 percent in the dry mix.
- (d) **Labeling requirements.** The label of the color additive and any mixtures prepared therefrom shall conform to the requirements of § 70.25 of this chapter.
- (e) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health, and therefore batches thereof are exempt from the certification requirements of section 721(c) of the act.

[67 FR 35431, May 20, 2002]

§ 73.140 Toasted partially defatted cooked cottonseed flour.

- (a) **Identity.**
 - (1) The color additive toasted partially defatted cooked cottonseed flour is a product prepared as follows: Food quality cottonseed is delinted and decorticated; the meats are screened, aspirated, and rolled; moisture is adjusted, the meats heated, and the oil expressed; the cooked meats are cooled, ground, and reheated to obtain a product varying in shade from light to dark brown.
 - (2) Color additive mixtures for food use made with toasted partially defatted cooked cottonseed flour may contain only diluents that are suitable and that are listed in this subpart as safe in color additive mixtures for coloring foods.
- (b) **Specifications.** Toasted partially defatted cooked cottonseed flour shall conform to the following specifications:

Arsenic: It contains no added arsenic compound and therefore may not exceed a maximum natural background level of 0.2 part per million total arsenic, calculated as As.

Lead (as Pb), not more than 10 parts per million.

Free gossypol content, not more than 450 parts per million.

- (c) **Uses and restrictions.** The color additive toasted partially defatted cooked cottonseed flour may be safely used for coloring foods generally, in amounts consistent with good manufacturing practice, except that it may not be used to color foods for which standards of identity have been promulgated under section 401 of the act, unless added color is authorized by such standards.
- (d) **Labeling.** The label of the color additive and any mixtures prepared therefrom and intended solely or in part for coloring purposes shall conform to the requirements of § 70.25 of this chapter.
- (e) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health and therefore batches thereof are exempt from the certification requirements of section 721(c) of the act.

§ 73.160 Ferrous gluconate.

- (a) **Identity.** The color additive ferrous gluconate is the ferrous gluconate defined in the Food Chemicals Codex, 3d Ed. (1981), pp. 122-123, which is incorporated by reference. Copies may be obtained from the National Academy Press, 2101 Constitution Ave. NW., Washington, DC 20418, or at the National Archives and Records Administration (NARA). For information on the availability of this material at NARA, call 202-741-6030, or go to: http://www.archives.gov/federal_register/code_of_federal_regulations/ibr_locations.html.
- (b) **Specifications.** Ferrous gluconate shall meet the specifications given in the Food Chemicals Codex, 3d Ed. (1981), which is incorporated by reference. The availability of this incorporation by reference is given in paragraph (a) of this section.
- (c) **Uses and restrictions.** Ferrous gluconate may be safely used in amounts consistent with good manufacturing practice for the coloring of ripe olives.
- (d) **Labeling.** The label of the color additive shall conform to the requirements of § 70.25 of this chapter.
- (e) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health, and therefore batches thereof are exempt from the certification requirements of section 721(c) of the act.

[42 FR 15643, Mar. 22, 1977, as amended at 47 FR 946, Jan. 8, 1982; 49 FR 10089, Mar. 19, 1984]

§ 73.165 Ferrous lactate.

- (a) **Identity.** The color additive ferrous lactate is the ferrous lactate defined in § 184.1311 of this chapter.
- (b) **Specifications.** Ferrous lactate shall meet the specifications given in the Food Chemicals Codex, 4th ed. (1996), pp. 154 to 155, which is incorporated by reference in accordance with 5 U.S.C. 552(a) and 1 CFR part 51. Copies are available from the National Academy Press, 2101 Constitution Ave. NW., Washington, DC 20418, or may be examined at the Food and Drug Administration's Main Library, 10903 New Hampshire Ave., Bldg. 2, Third Floor, Silver Spring, MD 20993, 301-796-2039, or at the National Archives and Records Administration (NARA). For information on the availability of this material at NARA, call 202-741-6030, or go to: http://www.archives.gov/federal_register/code_of_federal_regulations/ibr_locations.html.
- (c) **Uses and restrictions.** Ferrous lactate may be safely used in amounts consistent with good manufacturing practice for the coloring of ripe olives.

- (d) **Labeling.** The label of the color additive shall conform to the requirements of § 70.25 of this chapter.
- (e) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health, and therefore batches thereof are exempt from the certification requirements of section 721(c) of the Federal Food, Drug, and Cosmetic Act (the act).

[61 FR 40319, Aug. 2, 1996, as amended at 66 FR 66742, Dec. 27, 2001; 81 FR 5590, Feb. 3, 2016]

§ 73.169 Grape color extract.

- (a) **Identity.**
 - (1) The color additive grape color extract is an aqueous solution of anthocyanin grape pigments made from Concord grapes or a dehydrated water soluble powder prepared from the aqueous solution. The aqueous solution is prepared by extracting the pigments from precipitated lees produced during the storage of Concord grape juice. It contains the common components of grape juice, namely anthocyanins, tartrates, malates, sugars, and minerals, etc., but not in the same proportion as found in grape juice. The dehydrated water soluble powder is prepared by spray drying the aqueous solution containing added malto-dextrin.
 - (2) Color additive mixtures for food use made with grape color extract may contain only those diluents listed in this subpart as safe and suitable in color additive mixtures for coloring foods.
- (b) **Specifications.** Grape color extract shall conform to the following specifications: Pesticide residues, not more than permitted in or on grapes by regulations promulgated under section 408 of the Federal Food, Drug, and Cosmetic Act. Lead (as Pb), not more than 10 parts per million. Arsenic (as As), not more than 1 part per million.
- (c) **Uses and restrictions.** Grape color extract may be safely used for the coloring of nonbeverage food, except that it may not be used to color foods for which standards of identity have been promulgated under section 401 of the act, unless the use of added color is authorized by such standards.
- (d) **Labeling.** The color additive and any mixtures prepared therefrom intended solely or in part for coloring purposes shall bear, in addition to the other information required by the act, labeling in accordance with the provisions of § 70.25 of this chapter.
- (e) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health, and therefore batches are exempt from the certification requirements of section 721(c) of the Act.

[46 FR 47532, Sept. 29, 1981]

§ 73.170 Grape skin extract (enocianina).

- (a) **Identity.**
 - (1) The color additive grape skin extract (enocianina) is a purplish-red liquid prepared by the aqueous extraction (steeping) of the fresh deseeded marc remaining after grapes have been pressed to produce grape juice or wine. It contains the common components of grape juice; namely, anthocyanins, tartaric acid, tannins, sugars, minerals, etc., but not in the same proportions as found

in grape juice. During the steeping process, sulphur dioxide is added and most of the extracted sugars are fermented to alcohol. The extract is concentrated by vacuum evaporation, during which practically all of the alcohol is removed. A small amount of sulphur dioxide may be present.

- (2) Color additive mixtures for food use made with grape skin extract (enocianina) may contain only those diluents listed in this subpart as safe and suitable in color additive mixtures for coloring foods.

(b) **Specifications.** Grape skin extract (enocianina) shall conform to the following specifications:

Pesticide residues, not more than permitted in or on grapes by regulations promulgated under section 408 of the Federal Food, Drug, and Cosmetic Act.

Lead (as Pb), not more than 10 parts per million.

Arsenic (as As), not more than 1 part per million.

(c) **Uses and restrictions.** Grape skin extract (enocianina) may be safely used for the coloring of still and carbonated drinks and ades, beverage bases, and alcoholic beverages subject to the following restrictions:

- (1) It may not be used to color foods for which standards of identity have been promulgated under section 401 of the act unless artificial color is authorized by such standards.
- (2) Its use in alcoholic beverages shall be in accordance with the provisions of parts 4 and 5, title 27 CFR.

(d) **Labeling requirements.** The label of the color additive and any mixtures prepared therefrom intended solely or in part for coloring purposes shall conform to the requirements of § 70.25 of this chapter. The common or usual name of the color additive is "grape skin extract" followed, if desired, by "(enocianina)".

(e) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health, and therefore batches thereof are exempt from the certification requirements of section 721(c) of the act.

§ 73.185 *Haematococcus* algae meal.

(a) **Identity.**

- (1) The color additive haematococcus algae meal consists of the comminuted and dried cells of the alga *Haematococcus pluvialis*.
- (2) Haematococcus algae meal may be added to the fish feed only as a component of a stabilized color additive mixture. Color additive mixtures for fish feed use made with haematococcus algae meal may contain only those diluents that are suitable and are listed in this subpart as safe for use in color additive mixtures for coloring foods.

(b) **Specifications.** Haematococcus algae meal shall conform to the following specifications and shall be free from impurities other than those named to the extent that such impurities may be avoided by good manufacturing practice:

Physical state, solid.

Lead, not more than 5 parts per million.

Arsenic, not more than 2 parts per million.

Mercury, not more than 1 part per million.

Heavy metals (as Pb), not more than 10 parts per million.

Astaxanthin, not less than 1.5 percent.

(c) **Uses and restrictions.** Haematococcus algae meal may be safely used in the feed of salmonid fish in accordance with the following prescribed conditions:

- (1) The color additive is used to enhance the pink to orange-red color of the flesh of salmonid fish.
- (2) The quantity of astaxanthin in finished feed, from haematococcus algae meal when used alone or in combination with other astaxanthin color additive sources listed in this part 73, shall not exceed 80 milligrams per kilogram (72 grams per ton) of finished feed.

(d) **Labeling requirements.**

- (1) The labeling of the color additive and any premixes prepared therefrom shall bear expiration dates for the sealed and open container (established through generally accepted stability testing methods), other information required by § 70.25 of this chapter, and adequate directions to prepare a final product complying with the limitations prescribed in paragraph (c) of this section.
- (2) The presence of the color additive in finished fish feed prepared according to paragraph (c) of this section shall be declared in accordance with § 501.4 of this chapter.
- (3) The presence of the color additive in salmonid fish that have been fed feeds containing haematococcus algae meal shall be declared in accordance with §§ 101.22(b), (c), and (k)(2), and 101.100(a)(2) of this chapter.

(e) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health, and therefore batches thereof are exempt from the certification requirements of section 721(c) of the act.

[65 FR 41584, July 6, 2000]

§ 73.200 Synthetic iron oxide.

(a) **Identity.**

- (1) The color additive synthetic iron oxide consists of any one or any combination of synthetically prepared iron oxides, including the hydrated forms. It is free from admixture with other substances.
- (2) Color additive mixtures for food use made with synthetic iron oxide may contain only those diluents that are suitable and that are listed in this subpart as safe for use in color additive mixtures for coloring foods.

(b) **Specifications.**

- (1) Synthetic iron oxide for human food use shall conform to the following specifications:

Arsenic (as As), not more than 3 milligrams per kilogram (mg/kg) (3 parts per million (ppm)).

Lead (as Pb), not more than 5 mg/kg (5 ppm).

Mercury (as Hg), not more than 1 mg/kg (1 ppm).

(2) Synthetic iron oxide for dog and cat food use shall conform to the following specifications:

Arsenic (as As), not more than 5 parts per million.

Lead (as Pb), not more than 20 parts per million.

Mercury (as Hg), not more than 3 parts per million.

(c) **Uses and restrictions.**

(1) Synthetic iron oxide may be safely used for human food use subject to the following restrictions:

- (i) In sausage casings intended for human consumption in an amount not exceeding 0.10 percent by weight of the finished food.
- (ii) In soft and hard candy, mints, and chewing gum at levels consistent with good manufacturing practice, except that it may not be used to color foods for which standards of identity have been issued under section 401 of the Federal Food, Drug, and Cosmetic Act, unless the use of the added color is authorized by such standards.
- (iii) In dietary supplement tablets and capsules, including coatings and printing inks, such that the total amount of elemental iron per day for labeled dosages does not exceed 5 milligrams.

(2) Synthetic iron oxide may be safely used for the coloring of dog and cat foods in an amount not exceeding 0.25 percent by weight of the finished food.

(d) **Labeling requirements.** The label of the color additive and any mixture prepared therefrom intended solely or in part for coloring purposes shall conform to the requirements of § 70.25 of this chapter.

(e) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health, and therefore batches thereof are exempt from the certification requirements of section 721(c) of the act.

[42 FR 15643, Mar. 22, 1977, as amended at 59 FR 10578, Mar. 7, 1994; 80 FR 14842, Mar. 20, 2015; 83 FR 54872, Nov. 1, 2018]

§ 73.225 Jagua (genipin-glycine) blue.

(a) **Identity.**

(1) The color additive jagua (genipin-glycine) blue is a dark blue powder or liquid prepared from the juice of the unripe fruit of *Genipa americana* by reacting the genipin in the juice with glycine using mild heat. The color additive contains a polymer as the principal coloring component and three dimers as minor coloring components.

(2) Color additive mixtures for food use made with jagua (genipin-glycine) blue may contain only those diluents that are suitable and are listed in this subpart as safe for use in color additive mixtures for coloring foods.

- (b) **Specifications.** Jagua (genipin-glycine) blue must conform to the following specifications and must be free from impurities, other than those named, to the extent that such other impurities may be avoided by good manufacturing practice:
 - (1) Arsenic, not more than 1 milligram/kilogram (mg/kg) (1 part per million (ppm)).
 - (2) Cadmium, not more than 1 mg/kg (1 ppm).
 - (3) Lead, not more than 1 mg/kg (1 ppm).
 - (4) Mercury, not more than 1 mg/kg (1 ppm).
 - (5) Genipin, not more than 20 mg/kg (20 ppm).
- (c) **Uses and restrictions.** Jagua (genipin-glycine) blue may be safely used for coloring flavored milk; dairy drinks and substitutes; dairy and dairy alternative yogurt; ice cream, frozen dairy and dairy alternative desserts, puddings, gelatins, ices, sorbets; ready-to-eat multicolored cereals; flavored potato chips, tortilla, corn, and other chips; candy and chewing gum; non-alcoholic fruit based/flavored drinks, nutritional beverages and smoothies; flavored cream cheese-based spreads; and icings, frostings, jams, syrups, and fruit toppings and fillings at levels consistent with good manufacturing practice, except that it may not be used for coloring foods for which standards of identity have been issued under section 401 of the Federal Food, Drug, and Cosmetic Act, unless the use of added color is authorized by such standards.
- (d) **Labeling requirements.** The label of the color additive and any mixtures prepared therefrom intended solely or in part for coloring purposes must conform to the requirements of § 70.25 of this chapter.
- (e) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health and therefore batches thereof are exempt from the certification requirements of section 721(c) of the Federal Food, Drug, and Cosmetic Act.

[88 FR 75494, Nov. 3, 2023]

§ 73.250 Fruit juice.

- (a) **Identity.**
 - (1) The color additive fruit juice is prepared either by expressing the juice from mature varieties of fresh, edible fruits, or by the water infusion of the dried fruit. The color additive may be concentrated or dried. The definition of fruit juice in this paragraph is for the purpose of identity as a color additive only and shall not be construed as a standard of identity under section 401 of the act. However, where a standard of identity for a particular fruit juice has been promulgated under section 401 of the act, it shall conform to such standard.
 - (2) Color additive mixtures made with fruit juice may contain as diluents only those substances listed in this subpart as safe and suitable in color additive mixtures for coloring foods.
- (b) **Uses and restrictions.** Fruit juice may be safely used for the coloring of foods generally, in amounts consistent with good manufacturing practice, except that it may not be used to color foods for which standards of identity have been promulgated under section 401 of the act, unless the use of added color is authorized by such standards.
- (c) **Labeling.** The color additive and any mixtures intended solely or in part for coloring purposes prepared therefrom shall bear, in addition to the other information required by the act, labeling in accordance with the provisions of § 70.25 of this chapter.

- (d) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health, and therefore batches thereof are exempt from the certification requirements of section 721(c) of the act.

[42 FR 15643, Mar. 22, 1977, as amended at 60 FR 52629, Oct. 10, 1995]

§ 73.260 Vegetable juice.

- (a) **Identity.**

- (1) The color additive vegetable juice is prepared either by expressing the juice from mature varieties of fresh, edible vegetables, or by the water infusion of the dried vegetable. The color additive may be concentrated or dried. The definition of vegetable juice in this paragraph is for the purpose of identity as a color additive only, and shall not be construed as a standard of identity under section 401 of the act. However, where a standard of identity for a particular vegetable juice has been promulgated under section 401 of the act, it shall conform to such standard.

- (2) Color additive mixtures made with vegetable juice may contain as diluents only those substances listed in this subpart as safe and suitable in color additive mixtures for coloring foods.

- (b) **Uses and restrictions.** Vegetable juice may be safely used for the coloring of foods generally, in amounts consistent with good manufacturing practice, except that it may not be used to color foods for which standards of identity have been promulgated under section 401 of the act, unless the use of added color is authorized by such standards.

- (c) **Labeling.** The color additive and any mixtures intended solely or in part for coloring purposes prepared therefrom shall bear, in addition to the other information required by the act, labeling in accordance with the provisions of § 70.25 of this chapter.

- (d) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health, and therefore batches thereof are exempt from the certification requirements of section 721(c) of the act.

[42 FR 15643, Mar. 22, 1977, as amended at 60 FR 52629, Oct. 10, 1995]

§ 73.275 Dried algae meal.

- (a) **Identity.** The color additive dried algae meal is a dried mixture of algae cells (genus *Spongiococcum*, separated from its culture broth), molasses, cornsteep liquor, and a maximum of 0.3 percent ethoxyquin. The algae cells are produced by suitable fermentation, under controlled conditions, from a pure culture of the genus *Spongiococcum*.

- (b) **Uses and restrictions.** The color additive dried algae meal may be safely used in chicken feed in accordance with the following prescribed conditions:

- (1) The color additive is used to enhance the yellow color of chicken skin and eggs.

- (2) The quantity of the color additive incorporated in the feed is such that the finished feed:

- (i) Is supplemented sufficiently with xanthophyll and associated carotenoids so as to accomplish the intended effect described in paragraph (b)(1) of this section; and

- (ii) Meets the tolerance limitation for ethoxyquin in animal feed prescribed in § 573.380 of this chapter.
- (c) **Labeling.** The label of the color additives and any premixes prepared therefrom shall bear in addition to the information required by § 70.25 of this chapter.
 - (1) A statement of the concentrations of xanthophyll and ethoxyquin contained therein.
 - (2) Adequate directions to provide a final product complying with the limitations prescribed in paragraph (b) of this section.
- (d) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health and therefore batches thereof are exempt from the certification requirements of section 721(c) of the act.

§ 73.295 Tagetes (Aztec marigold) meal and extract.

- (a) **Identity.**
 - (1) The color additive tagetes (Aztec marigold) meal is the dried, ground flower petals of the Aztec marigold (*Tagetes erecta* L.) mixed with not more than 0.3 percent ethoxyquin.
 - (2) The color additive tagetes (Aztec marigold) extract is a hexane extract of the flower petals of the Aztec marigold (*Tagetes erecta* L.). It is mixed with an edible vegetable oil, or with an edible vegetable oil and a hydrogenated edible vegetable oil, and not more than 0.3 percent ethoxyquin. It may also be mixed with soy flour or corn meal as a carrier.
- (b) **Specifications.**
 - (1) Tagetes (Aztec marigold) meal is free from admixture with other plant material from *Tagetes erecta* L. or from plant material or flowers of any other species of plants.
 - (2) Tagetes (Aztec marigold) extract shall be prepared from tagetes (Aztec marigold) petals meeting the specifications set forth in paragraph (b)(1) of this section and shall conform to the following additional specifications:

Melting point	53.5-55.0 °C.
Iodine value	132-145.
Saponification value	175-200.
Acid value	0.60-1.20.
Titer	35.5-37.0 °C.
Unsaponifiable matter	23.0 percent-27.0 percent.
Hexane residue	Not more than 25 p.p.m.

All determinations, except the hexane residue, shall be made on the initial extract of the flower petals (after drying in a vacuum oven at 60 °C. for 24 hours) prior to the addition of the oils and ethoxyquin. The hexane determination shall be made on the color additive after the addition of the vegetable oils, hydrogenated vegetable oils, and ethoxyquin.

- (c) **Uses and restrictions.** The color additives tagetes (Aztec marigold) meal and extract may be safely used in chicken feed in accordance with the following prescribed conditions:
 - (1) The color additives are used to enhance the yellow color of chicken skin and eggs.
 - (2) The quantity of the color additives incorporated in the feed is such that the finished feed:
 - (i) Is supplemented sufficiently with xanthophyll and associated carotenoids so as to accomplish the intended effect described in paragraph (c)(1) of this section; and
 - (ii) Meets the tolerance limitation for ethoxyquin in animal feed prescribed in § 573.380 of this chapter.
- (d) **Labeling requirements.** The label of the color additives and any premixes prepared therefrom shall bear, in addition to the information required by § 70.25 of this chapter:
 - (1) A statement of the concentrations of xanthophyll and ethoxyquin contained therein.
 - (2) Adequate directions to provide a final product complying with the limitations prescribed in paragraph (c) of this section.
- (e) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health, and therefore batches thereof are exempt from the certification requirements of section 721(c) of the act.

§ 73.297 Myoglobin.

- (a) **Identity.**
 - (1) The color additive myoglobin is a stabilized product of controlled fermentation of a non-pathogenic and non-toxicogenic strain of the yeast, *Komagataella phaffii*, genetically engineered to express the myoglobin protein from *Bos taurus*. Myoglobin protein is the principal coloring component of the color additive and imparts a red color.
 - (2) Color additive mixtures made with myoglobin may contain only those diluents that are suitable and are listed in this subpart as safe for use in color additive mixtures for coloring foods.
- (b) **Specifications.** Myoglobin must conform to the following specifications and must be free from impurities, other than those named, to the extent that such impurities may be avoided by good manufacturing practice:
 - (1) Myoglobin protein purity on protein basis (weight/weight), not less than 85 percent.
 - (2) Lead, not more than 0.01 milligrams per kilogram (0.01 parts per million).
- (c) **Uses and restrictions.** Myoglobin may be safely used in ground meat and ground poultry analogue products (i.e., plant-based ground meat- and poultry-like food products subject to FDA regulation) where the amount of myoglobin protein does not exceed 2 percent by weight of the uncooked analogue product.
- (d) **Labeling.** The label of the color additive and of any mixture prepared therefrom intended solely or in part for coloring purposes must conform to § 70.25 of this chapter.
- (e) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health, and therefore, batches thereof are exempt from the certification requirements of section 721(c) of the Federal Food, Drug, and Cosmetic Act.

[90 FR 5594, Jan. 17, 2025]

§ 73.300 Carrot oil.

(a) **Identity.**

- (1) The color additive carrot oil is the liquid or the solid portion of the mixture or the mixture itself obtained by the hexane extraction of edible carrots (*Daucus carota* L.) with subsequent removal of the hexane by vacuum distillation. The resultant mixture of solid and liquid extractives consists chiefly of oils, fats, waxes, and carotenoids naturally occurring in carrots. The definition of carrot oil in this paragraph is for the purpose of identity as a color additive only and shall not be construed as setting forth an official standard for carrot oil or carrot oleoresin under section 401 of the act.
- (2) Color additive mixtures for food use made with carrot oil may contain only those diluents listed in this subpart as safe and suitable in color additive mixtures for coloring foods.

(b) **Specifications.** Carrot oil shall contain no more than 25 parts per million of hexane.

(c) **Uses and restrictions.** Carrot oil may be safely used for coloring foods generally, in amounts consistent with good manufacturing practice, except that it may not be used to color foods for which standards of identity have been promulgated under section 401 of the act unless the use of added color is authorized by such standards.

(d) **Labeling requirements.** The label of the color additive and any mixtures prepared therefrom intended solely or in part for coloring purposes shall conform to the requirements of § 70.25 of this chapter.

(e) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health, and therefore batches thereof are exempt from the certification requirements of section 721(c) of the act.

§ 73.315 Corn endosperm oil.

(a) **Identity.**

- (1) The color additive corn endosperm oil is a reddish-brown liquid composed chiefly of glycerides, fatty acids, sitosterols, and carotenoid pigments obtained by isopropyl alcohol and hexane extraction from the gluten fraction of yellow corn grain. The definition of corn endosperm oil in this paragraph is for the purpose of definition as a color additive only and shall not be construed as a food standard of identity under section 401 of the act.
- (2) Color additive mixtures for food use made with corn endosperm oil may contain only those diluents listed in this subpart as safe and suitable in color additive mixtures for coloring foods.

(b) **Specifications.** Corn endosperm oil conforms to the following specifications:

Total fatty acids, not less than 85 percent.

Iodine value, 118 to 134.

Saponification value, 165 to 185.

Unsaponifiable matter, not more than 14 percent.

Hexane, not more than 25 parts per million.

Isopropyl alcohol, not more than 100 parts per million.

- (c) **Uses and restrictions.** The color additive corn endosperm oil may be safely used in chicken feed in accordance with the following prescribed conditions:
 - (1) The color additive is used to enhance the yellow color of chicken skin and eggs.
 - (2) The quantity of the color additive incorporated in the feed is such that the finished feed is supplemented sufficiently with xanthophyll and associated carotenoids so as to accomplish the intended effect described in paragraph (c)(1) of this section.
- (d) **Labeling requirements.** The label of the color additive and any premixes prepared therefrom shall bear, in addition to the information required by § 70.25 of this chapter, a statement of the concentration of xanthophyll contained therein.
- (e) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health, and therefore batches thereof are exempt from the certification requirements of section 721(c) of the act.

§ 73.340 Paprika.

- (a) **Identity.**
 - (1) The color additive paprika is the ground dried pod of mild capsicum (*Capsicum annuum* L.). The definition of paprika in this paragraph is for the purpose of identity as a color additive only and shall not be construed as setting forth an official standard for paprika under section 401 of the act.
 - (2) Color additive mixtures made with paprika may contain as diluents only those substances listed in this subpart as safe and suitable in color additive mixtures for coloring foods.
- (b) **Uses and restrictions.** Paprika may be safely used for the coloring of foods generally, in amounts consistent with good manufacturing practice, except that it may not be used to color foods for which standards of identity have been promulgated under section 401 of the act, unless the use of added color is authorized by such standards.
- (c) **Labeling.** The color additive and any mixtures intended solely or in part for coloring purposes prepared therefrom shall bear, in addition to the other information required by the act, labeling in accordance with the provisions of § 70.25 of this chapter.
- (d) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health, and therefore batches thereof are exempt from the certification requirements of section 721(c) of the act.

§ 73.345 Paprika oleoresin.

- (a) **Identity.**
 - (1) The color additive paprika oleoresin is the combination of flavor and color principles obtained from paprika (*Capsicum annuum* L.) by extraction, using any one or a combination of the following solvents:

Acetone

Ethyl alcohol
Ethylene dichloride
Hexane
Isopropyl alcohol
Methyl alcohol
Methylene chloride
Trichloroethylene

The definition of paprika oleoresin in this paragraph is for the purpose of identity as a color additive only, and shall not be construed as setting forth an official standard for paprika oleoresin under section 401 of the act.

- (2) Color additive mixtures made with paprika oleoresin may contain as diluents only those substances listed in this subpart as safe and suitable in color additive mixtures for coloring foods.
- (b) **Specifications.** Paprika oleoresin shall contain no more residue of the solvents listed in paragraph (a)(1) of this section than is permitted of the corresponding solvents in spice oleoresins under applicable food additive regulations in parts 170 through 189 of this chapter.
- (c) **Uses and restrictions.** Paprika oleoresin may be safely used for the coloring of foods generally in amounts consistent with good manufacturing practice, except that it may not be used to color foods for which standards of identity have been promulgated under section 401 of the act, unless the use of added color is authorized by such standards.
- (d) **Labeling.** The color additive and any mixtures intended solely or in part for coloring purposes prepared therefrom shall bear, in addition to the other information required by the act, labeling in accordance with the provisions of § 70.25 of this chapter.
- (e) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health, and therefore batches thereof are exempt from the certification requirements of section 721(c) of the act.

§ 73.350 Mica-based pearlescent pigments.

- (a) **Identity.**
 - (1) The color additive is formed by depositing titanium salts onto mica, followed by heating to produce titanium dioxide on mica. Mica used to manufacture the color additive shall conform in identity to the requirements of § 73.1496(a)(1).
 - (2) Color additive mixtures for food use made with mica-based pearlescent pigments may contain only those diluents listed in this subpart as safe and suitable for use in color additive mixtures for coloring food.
- (b) **Specifications.** Mica-based pearlescent pigments shall conform to the following specifications and shall be free from impurities other than those named to the extent that such other impurities may be avoided by good manufacturing practice:
 - (1) Lead (as Pb), not more than 4 parts per million (ppm).
 - (2) Arsenic (as As), not more than 3 ppm.
 - (3) Mercury (as Hg), not more than 1 ppm.
- (c) **Uses and restrictions.**

- (1) The substance listed in paragraph (a) of this section may be safely used as a color additive in food as follows:
 - (i) In amounts up to 1.25 percent, by weight, in the following foods: Cereals, confections and frostings, gelatin desserts, hard and soft candies (including lozenges), nutritional supplement tablets and gelatin capsules, and chewing gum.
 - (ii) In amounts up to 0.07 percent, by weight, in the following:
 - (A) Distilled spirits containing not less than 18 percent and not more than 25 percent alcohol by volume.
 - (B) Cordials, liqueurs, flavored alcoholic malt beverages, wine coolers, and cocktails.
 - (C) Non-alcoholic cocktail mixes and mixers, such as margarita mix, Bloody Mary mix, and daiquiri mix, but excluding eggnog, tonic water, and beverages that are typically consumed without added alcohol (e.g., fruit juices, fruit juice drinks, and soft drinks).
 - (iii) In egg decorating kits used for coloring the shells of eggs in amounts consistent with good manufacturing practice.
- (2) The color additive may not be used to color foods for which standards of identity have been issued under section 401 of the act, unless the use of the added color is authorized by such standards.
- (d) **Labeling.** The label of the color additive and of any mixture prepared therefrom intended solely or in part for coloring purposes shall conform to the requirements of § 70.25 of this chapter.
- (e) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health and therefore batches thereof are exempt from the certification requirements of section 721(c) of the act.

[71 FR 31929, June 2, 2006, as amended at 78 FR 35117, June 12, 2013; 80 FR 32307, June 8, 2015; 80 FR 58602, Sept. 30, 2015]

§ 73.352 Paracoccus pigment.

(a) **Identity.**

- (1) The color additive paracoccus pigment consists of the heat-killed, dried cells of a nonpathogenic and nontoxicogenic strain of the bacterium *Paracoccus carotinifaciens* and may contain added calcium carbonate to adjust the astaxanthin level.
- (2) Color additive mixtures for fish feed use made with paracoccus pigment may contain only those diluents that are suitable and are listed in this subpart as safe for use in color additive mixtures for coloring foods.

(b) **Specifications.** Paracoccus pigment shall conform to the following specifications and shall be free from impurities, other than those named, to the extent that such impurities may be avoided by good manufacturing practice:

- (1) Physical state, solid.
- (2) Lead, not more than 5 milligrams per kilogram (mg/kg) (5 parts per million (ppm)).
- (3) Arsenic, not more than 2 mg/kg (2 ppm).
- (4) Mercury, not more than 1 mg/kg (1 ppm).

- (5) Heavy metals (as Pb), not more than 10 mg/kg (10 ppm).
- (6) Astaxanthin, not less than 1.75 percent.
- (c) **Uses and restrictions.** Paracoccus pigment may be safely used in the feed of salmonid fish in accordance with the following prescribed conditions:
 - (1) The color additive is used to enhance the pink to orange-red color of the flesh of salmonid fish.
 - (2) The quantity of astaxanthin in finished feed, from paracoccus pigment when used alone or in combination with other astaxanthin color additive sources listed in this part 73, shall not exceed 80 mg/kg (72 grams per ton) of finished feed.
- (d) **Labeling requirements.**
 - (1) The labeling of the color additive and any premixes prepared therefrom shall bear expiration dates for the sealed and open container (established through generally accepted stability testing methods), other information required by § 70.25 of this chapter, and adequate directions to prepare a final product complying with the limitations prescribed in paragraph (c) of this section.
 - (2) The presence of the color additive in finished fish feed prepared according to paragraph (c) of this section shall be declared in accordance with § 501.4 of this chapter.
 - (3) The presence of the color additive in salmonid fish that have been fed feeds containing paracoccus pigment shall be declared in accordance with §§ 101.22(b), (c), and (k)(2), and 101.100(a)(2) of this chapter.
- (e) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health, and therefore, batches thereof are exempt from the certification requirements of section 721(c) of the act.

[74 FR 58845, Nov. 16, 2009]

§ 73.355 Phaffia yeast.

- (a) **Identity.**
 - (1) The color additive phaffia yeast consists of the killed, dried cells of a nonpathogenic and nontoxicogenic strain of the yeast *Phaffia rhodozyma*.
 - (2) Phaffia yeast may be added to the fish feed only as a component of a stabilized color additive mixture. Color additive mixtures for fish feed use made with phaffia yeast may contain only those diluents that are suitable and are listed in this subpart as safe for use in color additive mixtures for coloring foods.
- (b) **Specifications.** Phaffia yeast shall conform to the following specifications and shall be free from impurities other than those named to the extent that such impurities may be avoided by good manufacturing practice:

Physical state, solid.

Lead, not more than 5 parts per million.

Arsenic, not more than 2 parts per million.

Mercury, not more than 1 part per million.

Heavy metals (as Pb), not more than 10 parts per million.

Astaxanthin, not less than 0.4 percent.

(c) **Uses and restrictions.** Phaffia yeast may be safely used in the feed of salmonid fish in accordance with the following prescribed conditions:

- (1) The color additive is used to enhance the pink to orange-red color of the flesh of salmonid fish.
- (2) The quantity of astaxanthin in finished feed, from phaffia yeast when used alone or in combination with other astaxanthin color additive sources listed in this part 73, shall not exceed 80 milligrams per kilogram (72 grams per ton) of finished feed.

(d) **Labeling requirements.**

- (1) The labeling of the color additive and any premixes prepared therefrom shall bear expiration dates for the sealed and open container (established through generally accepted stability testing methods), other information required by § 70.25 of this chapter, and adequate directions to prepare a final product complying with the limitations prescribed in paragraph (c) of this section.
- (2) The presence of the color additive in finished fish feed prepared according to paragraph (c) of this section shall be declared in accordance with § 501.4 of this chapter.
- (3) The presence of the color additive in salmonid fish that have been fed feeds containing phaffia yeast shall be declared in accordance with §§ 101.22(b), (c), and (k)(2) and 101.100(a)(2) of this chapter.

(e) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health, and therefore batches thereof are exempt from the certification requirements of section 721(c) of the act.

[65 FR 41587, July 6, 2000]

§ 73.450 Riboflavin.

(a) **Identity.**

- (1) The color additive riboflavin is the riboflavin defined in the Food Chemicals Codex, 3d Ed. (1981), pp. 262-263, which is incorporated by reference. Copies may be obtained from the National Academy Press, 2101 Constitution Ave. NW., Washington, DC 20418, or at the National Archives and Records Administration (NARA). For information on the availability of this material at NARA, call 202-741-6030, or go to: http://www.archives.gov/federal_register/code_of_federal_regulations/ibr_locations.html.
- (2) Color additive mixtures made with riboflavin may contain as diluents only those substances listed in this subpart as safe and suitable for use in color additive mixtures for coloring foods.

(b) **Specifications.** Riboflavin shall meet the specifications given in the Food Chemicals Codex, 3d Ed. (1981), which is incorporated by reference. The availability of this incorporation by reference is given in paragraph (a)(1) of this section.

- (c) **Uses and restrictions.** Riboflavin may be safely used for the coloring of foods generally, in amounts consistent with good manufacturing practice; except that it may not be used to color foods for which standards of identity have been promulgated under section 401 of the act, unless the use of added color is authorized by such standards.
- (d) **Labeling.** The label of the color additive shall conform to the requirements of § 70.25 of this chapter.
- (e) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health, and therefore batches thereof are exempt from the certification requirements of section 721(c) of the Act.

[42 FR 15643, Mar. 22, 1977, as amended at 47 FR 947, Jan. 8, 1982; 49 FR 10089, Mar. 19, 1984]

§ 73.500 Saffron.

- (a) **Identity.**
 - (1) The color additive saffron is the dried stigma of *Crocus sativus* L. The definition of saffron in this paragraph is for the purpose of identity as a color additive only, and shall not be construed as setting forth an official standard for saffron under section 401 of the act.
 - (2) Color additive mixtures made with saffron may contain as diluents only those substances listed in this subpart as safe and suitable in color additive mixtures for coloring foods.
- (b) **Uses and restrictions.** Saffron may be safely used for the coloring of foods generally, in amounts consistent with good manufacturing practice, except that it may not be used to color foods for which standards of identity have been promulgated under section 401 of the act, unless the use of added color is authorized by such standards.
- (c) **Labeling.** The color additive and any mixtures intended solely or in part for coloring purposes prepared therefrom shall bear, in addition to the other information required by the act, labeling in accordance with the provisions of § 70.25 of this chapter.
- (d) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health, and therefore batches thereof are exempt from the certification requirements of section 721(c) of the act.

§ 73.520 Soy leghemoglobin.

- (a) **Identity.**
 - (1) The color additive soy leghemoglobin is a stabilized product of controlled fermentation of a non-pathogenic and non-toxicogenic strain of the yeast, *Pichia pastoris*, genetically engineered to express soy leghemoglobin protein. Soy leghemoglobin protein is the principal coloring component of the color additive and imparts a reddish-brown color.
 - (2) Color additive mixtures made with soy leghemoglobin may contain only those diluents that are suitable and are listed in this subpart as safe for use in color additive mixtures for coloring foods.
- (b) **Specifications.** Soy leghemoglobin shall conform to the following specifications and shall be free from impurities, other than those named, to the extent that such impurities may be avoided by good manufacturing practice:

- (1) Soy leghemoglobin protein purity on protein basis (weight/weight), not less than 65 percent, as determined by sodium dodecyl sulfate-polyacrylamide gel electrophoresis.
- (2) Lead, not more than 0.4 milligrams per kilogram (mg/kg) (0.4 parts per million (ppm)).
- (3) Arsenic, not more than 0.05 mg/kg (0.05 ppm).
- (4) Mercury, not more than 0.05 mg/kg (0.05 ppm).
- (5) Cadmium, not more than 0.2 mg/kg (0.2 ppm).
- (c) **Uses and restrictions.** Soy leghemoglobin may be safely used in ground beef analogue products such that the amount of soy leghemoglobin protein does not exceed 0.8 percent by weight of the uncooked ground beef analogue product.
- (d) **Labeling.** The label of the color additive and of any mixture prepared therefrom intended solely or in part for coloring purposes must conform to § 70.25 of this chapter.
- (e) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health, and therefore batches thereof are exempt from the certification requirements of section 721(c) of the Federal Food, Drug, and Cosmetic Act.

[84 FR 37576, Aug. 1, 2019]

§ 73.530 Spirulina extract.

- (a) **Identity.**
 - (1) The color additive spirulina extract is prepared by the filtered aqueous extraction of the dried biomass of *Arthrospira platensis*. The color additive contains phycocyanins as the principal coloring components.
 - (2) Color additive mixtures for food use made with spirulina extract may contain only those diluents that are suitable and are listed in this subpart as safe for use in color additive mixtures for coloring foods.
- (b) **Specifications.** Spirulina extract must conform to the following specifications and must be free from impurities, other than those named, to the extent that such other impurities may be avoided by good manufacturing practice:
 - (1) Lead, not more than 2 milligrams per kilogram (mg/kg) (2 part per million (ppm));
 - (2) Arsenic, not more than 2 mg/kg (2 ppm);
 - (3) Mercury, not more than 1 mg/kg (1 ppm); and
 - (4) Negative for microcystin toxin.
- (c) **Uses and restrictions.** Spirulina extract may be safely used for coloring confections (including candy and chewing gum), frostings, ice cream and frozen desserts (including non-dairy frozen dessert), dessert coatings and toppings, beverage mixes and powders, yogurts (including non-dairy yogurt alternatives), custards, puddings (including non-dairy puddings), cottage cheese, gelatin, breadcrumbs, ready-to-eat cereals (excluding extruded cereals), alcoholic beverages with less than 20 percent alcohol-by-volume content, non-alcoholic beverages, seasoning mixes (unheated), salad dressings, condiments and sauces, dips, coating formulations applied to dietary supplement tablets and capsules, at levels consistent with

good manufacturing practice, and to seasonally color the shells of hard-boiled eggs, except that it may not be used to color foods for which standards of identity have been issued under section 401 of the Federal Food, Drug, and Cosmetic Act, unless the use of the added color is authorized by such standards.

- (d) **Labeling requirements.** The label of the color additive and of any mixture prepared therefrom intended solely or in part for coloring purposes must conform to § 70.25 of this chapter.
- (e) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health, and therefore batches thereof are exempt from the certification requirements of section 721(c) of the Federal Food, Drug, and Cosmetic Act.

[78 FR 49120, Aug. 13, 2013, as amended at 79 FR 20098, May 13, 2014; 80 FR 50765, Aug. 21, 2015; 82 FR 30734, July 3, 2017; 87 FR 67789, Nov. 10, 2022]

§ 73.575 Titanium dioxide.

(a) **Identity.**

- (1) The color additive titanium dioxide is synthetically prepared TiO_2 , free from admixture with other substances.
- (2) Color additive mixtures for food use made with titanium dioxide may contain only those diluents that are suitable and that are listed in this subpart as safe in color additive mixtures for coloring foods, and the following: Silicon dioxide, SiO_2 and/or aluminum oxide, Al_2O_3 , as dispersing aids—not more than 2 percent total.

(b) **Specifications.** Titanium dioxide shall conform to the following specifications:

Lead (as Pb), not more than 10 parts per million.

Arsenic (as As), not more than 1 part per million.

Antimony (as Sb), not more than 2 parts per million.

Mercury (as Hg), not more than 1 part per million.

Loss on ignition at 800 °C. (after drying for 3 hours at 105 °C.), not more than 0.5 percent.

Water soluble substances, not more than 0.3 percent.

Acid soluble substances, not more than 0.5 percent.

TiO_2 , not less than 99.0 percent after drying for 3 hours at 105 °C.

Lead, arsenic, and antimony shall be determined in the solution obtained by boiling 10 grams of the titanium dioxide for 15 minutes in 50 milliliters of 0.5N hydrochloric acid.

(c) **Uses and restrictions.** The color additive titanium dioxide may be safely used for coloring foods generally, subject to the following restrictions:

- (1) The quantity of titanium dioxide does not exceed 1 percent by weight of the food.

- (2) It may not be used to color foods for which standards of identity have been promulgated under section 401 of the act unless added color is authorized by such standards.
- (d) **Labeling.** The label of the color additive and any mixtures intended solely or in part for coloring purposes prepared therefrom shall conform to the requirements of § 70.25 of this chapter.
- (e) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health and therefore batches thereof are exempt from the certification requirements of section 721(c) of the act.

§ 73.585 Tomato lycopene extract; tomato lycopene concentrate.

- (a) **Identity.**
 - (1) The color additive tomato lycopene extract is a red to dark brown viscous oleoresin extracted with ethyl acetate from tomato pulp followed by removal of the solvent by evaporation. The pulp is produced from fresh, edible varieties of the tomato by removing the liquid. The main coloring component is lycopene.
 - (2) The color additive tomato lycopene concentrate is a powder prepared from tomato lycopene extract by removing most of the tomato lipids with ethyl acetate and then evaporating off the solvent.
 - (3) Color additive mixtures made with tomato lycopene extract or tomato lycopene concentrate may contain only those diluents listed in this subpart as safe and suitable for use in color additive mixtures for coloring food.
- (b) **Specifications.**
 - (1) Tomato lycopene extract shall conform to the following specification: Lycopene, not less than 5.5 percent of oleoresin as determined by the method entitled "Qualitative Analysis of Lycopene, Its Isomers and Other Carotenoids in Different Concentrations of Lyc-O-Mato ® (Tomato Oleoresin) and in Tomato Pulp by High Performance Liquid Chromatography (HPLC)," S.O.P. number : Lab/119/01, Revision 01, dated May 30, 2001, published by LycoRed Natural Products Industries, which is incorporated by reference, or an equivalent method. The Director of the Office of the Federal Register approves this incorporation by reference in accordance with 5 U.S.C. 552(a) and 1 CFR part 51. You may obtain a copy of the method from the Center for Food Safety and Applied Nutrition (HFS-200), Food and Drug Administration, 5001 Campus Dr., College Park, MD 20740. You may inspect a copy at the Food and Drug Administration's Main Library, 10903 New Hampshire Ave., Bldg. 2, Third Floor, Silver Spring, MD 20993, 301-796-2039, or at the National Archives and Records Administration (NARA). For information on the availability of this material at NARA, call 202-741-6030, or go to: http://www.archives.gov/federal_register/code_of_federal_regulations/ibr_locations.html
 - (2) Tomato lycopene concentrate shall conform to the following specification: Lycopene, not less than 60 percent of oleoresin as determined by the method identified in paragraph (b)(1) of this section.
- (c) **Uses and restrictions.** Tomato lycopene extract and tomato lycopene concentrate may be safely used for coloring foods generally in amounts consistent with good manufacturing practice, except that they may not be used to color foods for which standards of identity have been issued under section 401 of the act, unless the use of added color is authorized by such standards.
- (d) **Labeling.** The label of the color additive shall conform to the requirements of § 70.25 of this chapter.

- (e) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health, and therefore batches thereof are exempt from the certification requirements of section 721(c) of the act.

[70 FR 43045, July 26, 2005, as amended at 81 FR 5590, Feb. 3, 2016; 81 FR 49895, July 29, 2016]

§ 73.600 Turmeric.

- (a) **Identity.**
- (1) The color additive turmeric is the ground rhizome of *Curcuma longa* L. The definition of turmeric in this paragraph is for the purpose of identity as a color additive only, and shall not be construed as setting forth an official standard for turmeric under section 401 of the act.
- (2) Color additive mixtures made with turmeric may contain as diluents only those substances listed in this subpart as safe and suitable in color additive mixtures for coloring foods.
- (b) **Uses and restrictions.** Turmeric may be safely used for the coloring of foods generally, in amounts consistent with good manufacturing practice, except that it may not be used to color foods for which standards of identity have been promulgated under section 401 of the act, unless the use of added color is authorized by such standards.
- (c) **Labeling.** The color additive and any mixtures intended solely or in part for coloring purposes prepared therefrom shall bear, in addition to the other information required by the act, labeling in accordance with the provisions of § 70.25 of this chapter.
- (d) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health, and therefore batches thereof are exempt from the certification requirements of section 721(c) of the act.

§ 73.615 Turmeric oleoresin.

- (a) **Identity.**
- (1) The color additive turmeric oleoresin is the combination of flavor and color principles obtained from turmeric (*Curcuma longa* L.) by extraction using any one or a combination of the following solvents:
- Acetone
 - Ethyl alcohol
 - Ethylene dichloride
 - Hexane
 - Isopropyl alcohol
 - Methyl alcohol
 - Methylene chloride
 - Trichloroethylene
- The definition of turmeric oleoresin in this paragraph is for the purpose of identity as a color additive only, and shall not be construed as setting forth an official standard for turmeric oleoresin under section 401 of the act.
- (2) Color additive mixtures made with turmeric oleoresin may contain as diluents only those substances listed in this subpart as safe and suitable in color additive mixtures for coloring foods.

- (b) **Specifications.** Turmeric oleoresin shall contain no more residue of the solvents listed under paragraph (a)(1) of this section than is permitted for the corresponding solvents in spice oleoresins under applicable food additive regulation in parts 170 through 189 of this chapter.
- (c) **Uses and restrictions.** Turmeric oleoresin may be safely used for the coloring of foods generally, in amounts consistent with good manufacturing practice, except that it may not be used to color foods for which standards of identity have been promulgated under section 401 of the act, unless the use of added color is authorized by such standards.
- (d) **Labeling.** The color additive and any mixtures intended solely or in part for coloring purposes prepared therefrom shall bear, in addition to the other information required by the act, labeling in accordance with the provisions of § 70.25 of this chapter.
- (e) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health, and therefore batches thereof are exempt from the certification requirements of section 721(c) of the act.

Subpart B—Drugs

§ 73.1001 Diluents in color additive mixtures for drug use exempt from certification.

The following diluents may be safely used in color additive mixtures that are exempt from certification and which are to be used for coloring drugs, subject to the condition that each straight color in the mixture has been exempted from certification or, if not so exempted, is from a batch that has previously been certified and has not changed in composition since certification. Such listing of diluents is not to be construed as superseding any of the other requirements of the Federal Food, Drug, and Cosmetic Act with respect to drugs, including new drugs. If a definition and specification for a particular diluent is not set forth in this subpart, the material shall be of a purity consistent with its intended use.

- (a) **Ingested drugs —**
 - (1) **General use.** Diluents listed in § 73.1(a) and the following:

Substances	Definitions and specifications	Restrictions
Alcohol, specially denatured	As set forth in 26 CFR, pt. 212	As set forth in 26 CFR, pt. 211.
Cetyl alcohol	As set forth in N.F. XI	In color coatings for pharmaceutical forms, no residue.
Isopropyl alcohol		
Polyoxyethylene (20) sorbitan monostearate (Polysorbate 60)	As set forth in sec. 172.836 of this chapter	
Polyoxyethylene (20) sorbitan tristearate (Polysorbate 65)	As set forth in sec. 172.838 of this chapter	
Polysorbate 80	As set forth in sec.	

Substances	Definitions and specifications	Restrictions
Polyvinyl-pyrrolidone	172.840 of this chapter As set forth in sec. 173.55 of this chapter	
Sorbitan monooleate		
Sorbitan monostearate	As set forth in sec. 172.842 of this chapter	
Sorbitan trioleate		

- (2) **Special use; inks for branding pharmaceutical forms.** Items listed in paragraph (a)(1) of this section, § 73.1(b)(1)(i), and the following:

Ethyl lactate

Polyoxyethylene sorbitan monolaurate (20)

- (b) **Externally applied drugs.** Diluents listed in paragraph (a)(1) of this section and the following:

Substances	Definitions and specifications
Benzyl alcohol	As set forth in N.F. XI.
Ethyl cellulose	As set forth in § 172.868 of this chapter.
Hydroxyethyl cellulose	
Hydroxypropyl cellulose	As set forth in § 172.870 of this chapter.

§ 73.1010 Alumina (dried aluminum hydroxide).

- (a) **Identity.**

- (1) The color additive alumina (dried aluminum hydroxide) is a white, odorless, tasteless, amorphous powder consisting essentially of aluminum hydroxide ($\text{Al}_2\text{O}_3 \cdot \text{XH}_2\text{O}$).
- (2) Color additive mixtures for drug use made with alumina (dried aluminum hydroxide) may contain only those diluents listed in this subpart as safe and suitable for use in color additive mixtures for coloring drugs.

- (b) **Specifications.** Alumina (dried aluminum hydroxide) shall conform to the following specifications:

Acidity or alkalinity: Agitate 1 gram of the color additive with 25 milliliters of water and filter. The filtrate shall be neutral to litmus paper.

Matter insoluble in dilute hydrochloric acid, not more than 0.5 percent.

Lead (as Pb), not more than 10 parts per million.

Arsenic (as As), not more than 1 part per million.

Mercury (as Hg), not more than 1 part per million.

Aluminum oxide (Al_2O_3), not less than 50 percent.

- (c) **Uses and restrictions.** Alumina (dried aluminum hydroxide) may be safely used in amounts consistent with good manufacturing practice to color drugs generally.
- (d) **Labeling requirements.** The label of the color additive and of any mixtures prepared therefrom intended solely or in part for coloring purposes shall conform to the requirements of § 70.25 of this chapter.
- (e) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health, and therefore batches thereof are exempt from the certification requirements of section 721(c) of the act.

§ 73.1015 Chromium-cobalt-aluminum oxide.

- (a) **Identity.** The color additive chromium-cobalt-aluminum oxide is a blue-green pigment obtained by calcining a mixture of chromium oxide, cobalt carbonate, and aluminum oxide. It may contain small amounts (less than 1 percent each) of oxides of barium, boron, silicon, and nickel.

- (b) **Specifications.** Chromium-cobalt-aluminum oxide shall conform to the following specifications:

Chromium, calculated as Cr_2O_3 , 34-37 percent.

Cobalt, calculated as CoO , 29-34 percent.

Aluminum, calculated as Al_2O_3 , 29-35 percent.

Lead (as Pb), not more than 30 parts per million.

Arsenic (as As), not more than 3 parts per million.

Total oxides of aluminum, chromium, and cobalt not less than 97 percent.

Lead and arsenic shall be determined in the solution obtained by boiling 10 grams of the chromium-cobalt-aluminum oxide for 15 minutes in 50 milliliters of 0.5 N hydrochloric acid.

- (c) **Uses and restrictions.** The color additive chromium-cobalt-aluminum oxide may be safely used for coloring linear polyethylene surgical sutures, United States Pharmacopeia (U.S.P.), for use in general surgery, subject to the following restrictions:
 - (1) For coloring procedure, the color additive is blended with the polyethylene resin. The mixture is heated to a temperature of 500-550 °F. and extruded through a fixed orifice. The filaments are cooled, oriented by drawing, and set by annealing.
 - (2) The quantity of the color additive does not exceed 2 percent by weight of the suture material.
 - (3) The dyed suture shall conform in all respects to the requirements of the U.S.P. XX (1980).

- (4) When the sutures are used for the purpose specified in their labeling, there is no migration of the color additive to the surrounding tissue.
- (5) If the suture is a new drug, an approved new drug application, pursuant to section 505 of the Federal Food, Drug, and Cosmetic Act, is in effect for it.
- (d) **Labeling.** The label of the color additive shall conform to the requirements of § 70.25 of this chapter.
- (e) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health, and batches thereof are exempt from the certification requirements of section 721(c) of the act.

[42 FR 15643, Mar. 22, 1977, as amended at 49 FR 10089, Mar. 19, 1984]

§ 73.1025 Ferric ammonium citrate.

- (a) **Identity.** The color additive ferric ammonium citrate consists of complex chelates prepared by the interaction of ferric hydroxide with citric acid in the presence of ammonia. The complex chelates occur in brown and green forms, are deliquescent in air, and are reducible by light.
- (b) **Specifications.** Ferric ammonium citrate shall conform to the following specifications and shall be free from impurities other than those named to the extent that such impurities may be avoided by good manufacturing practice:

Iron (as Fe), not less than 14.5 percent and not more than 18.5 percent.

Lead (as Pb), not more than 20 p/m.

Arsenic (as As), not more than 3 p/m.

- (c) **Uses and restrictions.** Ferric ammonium citrate may be safely used in combination with pyrogallol (as listed in § 73.1375), for coloring plain and chromic catgut sutures for use in general and ophthalmic surgery subject to the following conditions:
 - (1) The dyed suture shall conform in all respects to the requirements of the United States Pharmacopeia XX (1980).
 - (2) The level of the ferric ammonium citrate-pyrogallol complex shall not exceed 3 percent of the total weight of the suture material.
 - (3) When the sutures are used for the purposes specified in their labeling, there is no migration of the color additive to the surrounding tissue.
 - (4) If the suture is a new drug, an approved new drug application, pursuant to section 505 of the act, is in effect for it.
- (d) **Labeling.** The labeling of the color-additive shall conform to the requirements of § 70.25 of this chapter.
- (e) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health and therefore batches thereof are exempt from the requirements of section 721(c) of the act.

[42 FR 15643, Mar. 22, 1977, as amended at 49 FR 10089, Mar. 19, 1984]

§ 73.1030 Annatto extract.

(a) **Identity and specifications.**

- (1) The color additive annatto extract shall conform in identity and specifications to the requirements of § 73.30(a)(1) and (b).
- (2) Color additive mixtures for drug use made with annatto extract may contain only those diluents that are suitable and that are listed in this subpart as safe in color additive mixtures for coloring ingested drugs.

(b) **Uses and restrictions.** Annatto extract may be safely used for coloring drugs generally, including those intended for use in the area of the eye, in amounts consistent with good manufacturing practice.

(c) **Labeling.** The label of the color additive and any mixtures prepared therefrom and intended solely or in part for coloring purposes shall conform to the requirements of § 70.25 of this chapter. Labels shall bear information showing that the color is derived from annatto seed. The requirements of § 70.25(a) of this chapter that all ingredients shall be listed by name shall not be construed as requiring the declaration of residues of solvents listed in § 73.30(a)(1)(ii) of this chapter.

(d) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health and therefore batches thereof are exempt from the certification requirements of section 721(c) of the act.

[42 FR 15643, Mar. 22, 1977, as amended at 42 FR 36994, July 19, 1977]

§ 73.1070 Calcium carbonate.

(a) **Identity.**

- (1) The color additive calcium carbonate is a fine, white, synthetically prepared powder consisting essentially of precipitated calcium carbonate (CaCO₃).
- (2) Color additive mixtures for drug use made with calcium carbonate may contain only those diluents listed in this subpart as safe and suitable for use in color additive mixtures for coloring drugs.

(b) **Specifications.** Calcium carbonate shall meet the specifications for precipitated calcium carbonate in the United States Pharmacopeia XX (1980).

(c) **Uses and restrictions.** Calcium carbonate may be safely used in amounts consistent with good manufacturing practice to color drugs generally.

(d) **Labeling requirements.** The label of the color additive and of any mixtures prepared therefrom intended solely or in part for coloring purposes shall conform to the requirements of § 70.25 of this chapter.

(e) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health, and therefore batches thereof are exempt from the certification requirements of section 721(c) of the act.

[42 FR 15643, Mar. 22, 1977, as amended at 49 FR 10089, Mar. 19, 1984]

§ 73.1075 Canthaxanthin.

(a) **Identity and specifications.**

- (1) The color additive canthaxanthin shall conform in identity and specifications to the requirements of § 73.75(a)(1) and (b).
 - (2) Color additive mixtures for ingested drug use made with canthaxanthin may contain only those diluents that are suitable and that are listed in this subpart as safe in color additive mixtures for coloring ingested drugs.
- (b) **Uses and restrictions.** Canthaxanthin may be safely used for coloring ingested drugs generally in amounts consistent with good manufacturing practice.
- (c) **Labeling requirements.** The label of the color additive and of any mixtures prepared therefrom intended solely or in part for coloring purposes shall conform to the requirements of § 70.25 of this chapter.
- (d) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health, and therefore batches thereof are exempt from the certification requirements of section 721(c) of the act.

§ 73.1085 Caramel.

- (a) **Identity and specifications.**
- (1) The color additive caramel shall conform in identity and specifications to the requirements of § 73.85(a) (1), (2), and (3) and (b).
 - (2) The diluents in color additive mixtures for drug use containing caramel shall be limited to those listed in this subpart as safe and suitable in color additive mixtures for coloring drugs.
- (b) **Uses and restrictions.** Caramel may be used for coloring ingested and topically applied drugs generally in amounts consistent with good manufacturing practice.
- (c) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health and therefore batches thereof are exempt from the certification requirement of section 721(c) of the act.

§ 73.1095 β -Carotene.

- (a) **Identity and specifications.**
- (1) The color additive β -carotene shall conform in identity and specifications to the requirements of § 73.95(a)(1) and (b).
 - (2) The diluents in color additive mixtures for drug use containing β -carotene are limited to those listed in this subpart as safe and suitable in color additive mixtures for coloring ingested drugs.
- (b) **Uses and restrictions.** The color additive β -carotene may be safely used in coloring drugs generally, including those intended for use in the area of the eye, in amounts consistent with good manufacturing practice.
- (c) **Labeling requirements.** The labeling of the color additive and any mixtures intended solely or in part for coloring purposes prepared therefrom shall conform to the requirements of § 70.25 of this chapter.
- (d) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health, and therefore batches thereof are exempt from the certification requirements of section 721(c) of the act.

§ 73.1100 Cochineal extract; carmine.

(a) **Identity and specifications.**

- (1) The color additives cochineal extract and carmine shall conform in identity and specifications to the requirements of § 73.100(a) (1) and (2) and (b).
- (2) Color additive mixtures for drug use made with carmine and cochineal extract may contain only those diluents that are suitable and that are listed in this subpart as safe in color additive mixtures for coloring drugs.

(b) **Uses and restrictions.** Cochineal extract and carmine may be safely used for coloring ingested and externally applied drugs in amounts consistent with good manufacturing practice.

(c) **Labeling requirements.** The label of the color additives and any mixtures intended solely or in part for coloring purposes prepared therefrom shall conform to the requirements of § 70.25 of this chapter.

(d) **Exemption from certification.** Certification of these color additives is not necessary for the protection of the public health, and therefore batches thereof are exempt from the certification requirements of section 721(c) of the act.

§ 73.1125 Potassium sodium copper chlorophyllin (chlorophyllin-copper complex).

(a) **Identity.**

- (1) The color additive potassium sodium copper chlorophyllin is a green to black powder obtained from chlorophyll by replacing the methyl and phytyl ester groups with alkali and replacing the magnesium with copper. The source of the chlorophyll is dehydrated alfalfa.
- (2) Color additive mixtures for drug use made with potassium sodium copper chlorophyllin may contain only those diluents that are suitable and that are listed in this subpart as safe for use in color additive mixtures for coloring drugs.

(b) **Specifications.** Potassium sodium copper chlorophyllin shall conform to the following specifications and shall be free from impurities other than those named to the extent that such other impurities may be avoided by good manufacturing practice:

Moisture, not more than 5.0 percent.

Nitrogen, not more than 5.0 percent.

pH of 1 percent solution, 9 to 11.

Total copper, not less than 4 percent and not more than 6 percent.

Free copper, not more than 0.25 percent.

Iron, not more than 0.5 percent.

Lead (as Pb), not more than 20 parts per million.

Arsenic (as As), not more than 5 parts per million.

Ratio, absorbance at 405 mμ to absorbance at 630 mμ, not less than 3.4 and not more than 3.9.

Total color, not less than 75 percent.

- (c) **Uses and restrictions.** Potassium sodium copper chlorophyllin may be safely used for coloring dentifrices that are drugs at a level not to exceed 0.1 percent. Authorization for this use shall not be construed as waiving any of the requirements of section 505 of the act with respect to the drug in which it is used.
- (d) **Labeling.** The label of the color additive and any mixtures prepared therefrom intended solely or in part for coloring purposes shall conform to the requirements of § 70.25 of this chapter.
- (e) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health and therefore batches thereof are exempt from the certification requirements of section 721(c) of the act.

§ 73.1150 Dihydroxyacetone.

- (a) **Identity.**
 - (1) The color additive dihydroxyacetone is 1,3-dihydroxy-2-propanone.
 - (2) Color additive mixtures for drug use made with dihydroxyacetone may contain only those diluents that are listed in this subpart as safe and suitable in color additive mixtures for coloring externally applied drugs.
- (b) **Specifications.** Dihydroxyacetone shall conform to the following specifications and shall be free from impurities other than those named to the extent that such impurities may be avoided by good manufacturing practice:
 - Volatile matter (at 34.6 °C. for 3 hours at a pressure of not more than 30 mm. mercury), not more than 0.5 percent.
 - Residue on ignition, not more than 0.4 percent.
 - Lead (as Pb), not more than 20 parts per million.
 - Arsenic (as As), not more than 3 parts per million.
 - Iron (as Fe), not more than 25 parts per million.
 - 1,3-dihydroxy-2-propanone, not less than 98 percent.
- (c) **Uses and restrictions.** Dihydroxyacetone may be safely used in amounts consistent with good manufacturing practice in externally applied drugs intended solely or in part to impart a color to the human body. Authorization for this use shall not be construed as waiving any of the requirements of section 505 of the act with respect to the drug in which it is used.
- (d) **Labeling requirements.** The label of the color additive and any mixtures prepared therefrom intended solely or in part for coloring purposes shall conform to the requirements of § 70.25 of this chapter.

- (e) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health and therefore batches thereof are exempt from the certification requirements of section 721(c) of the act.

§ 73.1162 Bismuth oxychloride.

(a) **Identity.**

- (1) The color additive bismuth oxychloride is a synthetically prepared white or nearly white amorphous or finely crystalline, odorless powder consisting principally of BiOCl.
- (2) Color additive mixtures for drug use made with bismuth oxychloride may contain only those diluents that are suitable and that are listed in this subpart as safe in color additive mixtures for coloring externally applied drugs.

- (b) **Specifications.** The color additive bismuth oxychloride shall conform to the following specifications and shall be free from impurities other than those named to the extent that such other impurities may be avoided by good manufacturing practice:

Volatile matter, not more than 0.5 percent.

Lead (as Pb), not more than 20 parts per million.

Arsenic (as As), not more than 3 parts per million.

Mercury (as Hg), not more than 1 part per million.

Bismuth oxychloride, not less than 98 percent.

- (c) **Uses and restrictions.** The color additive bismuth oxychloride may be safely used in coloring externally applied drugs, including those intended for use in the area of the eye, in amounts consistent with good manufacturing practice.
- (d) **Labeling.** The color additive and any mixture prepared therefrom intended solely or in part for coloring purposes shall bear, in addition to any information required by law, labeling in accordance with the provisions of § 70.25 of this chapter.
- (e) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health, and therefore batches thereof are exempt from certification pursuant to section 721(c) of the act.

[42 FR 52394, Sept. 30, 1977]

§ 73.1200 Synthetic iron oxide.

(a) **Identity.**

- (1) The color additive synthetic iron oxide consists of any one or any combination of synthetically prepared iron oxides, including the hydrated forms. It is free from admixture with other substances.
- (2) Color additive mixtures for drug use made with synthetic iron oxide may contain only those diluents listed in this subpart as safe and suitable in color additive mixtures for coloring drugs.

(b) **Specifications.** Synthetic iron oxide shall conform to the following specifications, all on an “as is” basis:

Arsenic (as As), not more than 3 parts per million.

Lead (as Pb), not more than 10 parts per million.

Mercury (as Hg), not more than 3 parts per million.

(c) **Uses and restrictions.** The color additive synthetic iron oxide may be safely used to color ingested or topically applied drugs generally subject to the restriction that if the color additive is used in drugs ingested by man the amount consumed in accordance with labeled or prescribed dosages shall not exceed 5 milligrams, calculated as elemental iron, per day.

(d) **Labeling requirements.** The label of the color additive and any mixtures intended solely or in part for coloring purposes prepared therefrom shall conform to the requirements of § 70.25 of this chapter.

(e) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health, and therefore batches thereof are exempt from certification requirements of section 721(c) of the act.

§ 73.1298 Ferric ammonium ferrocyanide.

(a) **Identity.**

(1) The color additive ferric ammonium ferrocyanide is the blue pigment obtained by oxidizing under acidic conditions with sodium dichromate the acid digested precipitate resulting from mixing solutions of ferrous sulfate and sodium ferrocyanide in the presence of ammonium sulfate. The oxidized product is filtered, washed, and dried. The pigment consists principally of ferric ammonium ferrocyanide with smaller amounts of ferric ferrocyanide and ferric sodium ferrocyanide.

(2) Color additive mixtures for drug use made with ferric ammonium ferrocyanide may contain only those diluents listed in this subpart as safe and suitable for use in color additive mixtures for coloring drugs.

(b) **Specifications.** Ferric ammonium ferrocyanide shall conform to the following specifications and shall be free of impurities other than those named to the extent that the other impurities may be avoided by good manufacturing practice:

Oxalic acid or its salts, not more than 0.1 percent.

Water soluble matter, not more than 3 percent.

Water soluble cyanide, not more than 10 parts per million.

Volatile matter, not more than 4 percent.

Lead (as Pb), not more than 20 parts per million.

Arsenic (as As), not more than 3 parts per million.

Nickel (as Ni), not more than 200 parts per million.

Cobalt (as Co), not more than 200 parts per million.

Mercury (as Hg), not more than 1 part per million.

Total iron (as Fe corrected for volatile matter), not less than 33 percent and not more than 39 percent.

- (c) **Uses and restrictions.** Ferric ammonium ferrocyanide may be safely used in amounts consistent with good manufacturing practice to color externally applied drugs, including those for use in the area of the eye.
- (d) **Labeling requirements.** The label of the color additive and of any mixtures prepared therefrom intended solely or in part for coloring purposes shall conform to the requirements of § 70.25 of this chapter.
- (e) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health, and therefore batches thereof are exempt from the certification requirements of section 721(c) of the act.

[42 FR 38562, July 29, 1977, as amended at 44 FR 28322, May 15, 1979]

§ 73.1299 Ferric ferrocyanide.

(a) **Identity.**

- (1) The color additive ferric ferrocyanide is a ferric hexacyanoferrate pigment characterized by the structural formula $\text{Fe}_4[\text{Fe}(\text{CN})_6]_3 \cdot \text{XH}_2\text{O}$, which may contain small amounts of ferric sodium ferrocyanide and ferric potassium ferrocyanide.
- (2) Color additive mixtures for drug use made with ferric ferrocyanide may contain only those diluents listed in this subpart as safe and suitable for use in color additive mixtures for coloring drugs.

- (b) **Specifications.** Ferric ferrocyanide shall conform to the following specifications and shall be free from impurities other than those named to the extent that such impurities may be avoided by good manufacturing practice:

Water soluble cyanide, not more than 10 parts per million.

Lead (as Pb), not more than 20 parts per million.

Arsenic (as As), not more than 3 parts per million.

Nickel (as Ni), not more than 200 parts per million.

Cobalt (as Co), not more than 200 parts per million.

Mercury (as Hg), not more than 1 part per million.

Oxalic acid, not more than 0.1 percent.

Water soluble matter, not more than 3 percent.

Volatile matter, not more than 10 percent.

Total iron (as Fe corrected for volatile matter), not less than 37 percent and not more than 45 percent.

- (c) **Uses and restrictions.** Ferric ferrocyanide may be safely used in amounts consistent with good manufacturing practice to color externally applied drugs including those intended for use in the area of the eye.
- (d) **Labeling requirements.** The label of the color additive and of any mixtures prepared therefrom intended solely or in part for coloring purposes shall conform to the requirements of § 70.25 of this chapter.
- (e) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health, and therefore batches thereof are exempt from certification requirements of section 721(c) of the act.

[43 FR 54235, Nov. 21, 1978]

§ 73.1326 Chromium hydroxide green.

- (a) **Identity.**
 - (1) The color additive chromium hydroxide green is principally hydrated chromic sesquioxide ($\text{Cr}_2\text{O}_3 \cdot \text{XH}_2\text{O}$).
 - (2) Color additive mixtures for drug use made with chromium hydroxide green may contain only those diluents listed in this subpart as safe and suitable for use in color additive mixtures for coloring drugs.
- (b) **Specifications.** Chromium hydroxide green shall conform to the following specifications and shall be free from impurities other than those named to the extent that such impurities may be avoided by good manufacturing practice:

Water soluble matter, not more than 2.5%.

Chromium in 2% NaOH extract, not more than 0.1% as Cr_2O_3 (based on sample weight).

Boron (as B_2O_3), not more than 8 percent.

Total volatile matter at 1000 °C, not more than 20%.

Cr_2O_3 not less than 75%.

Lead (as Pb), not more than 20 parts per million.

Arsenic (as As), not more than 3 parts per million.

Mercury (as Hg), not more than 1 part per million.

- (c) **Uses and restrictions.** Chromium hydroxide green may be safely used in amounts consistent with good manufacturing practice to color externally applied drugs, including those for use in the area of the eye.
- (d) **Labeling requirements.** The label of the color additive and of any mixtures prepared therefrom intended solely or in part for coloring purposes shall conform to the requirements of § 70.25 of this chapter.

- (e) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health, and therefore batches thereof are exempt from the certification requirements of section 721(c) of the act.

[42 FR 36451, July 15, 1977, as amended at 42 FR 59852, Nov. 22, 1977]

§ 73.1327 Chromium oxide greens.

(a) **Identity.**

- (1) The color additive chromium oxide greens is principally chromic sesquioxide (Cr_2O_3).
- (2) Color additive mixtures for drug use made with chromium oxide greens may contain only those diluents listed in this subpart as safe and suitable for use in color additive mixtures for coloring drugs.

- (b) **Specifications.** the color additive chromium oxide greens shall conform to the following specifications and shall be free from impurities other than those named to the extent that such impurities may be avoided by good manufacturing practice:

Chromium in 2% NaOH extract, not more than 0.075% as Cr_2O_3 (based on sample weight).

Arsenic (as As), not more than 3 parts per million.

Lead (as Pb), not more than 20 parts per million.

Mercury (as Hg), not more than 1 part per million.

Cr_2O_3 , not less than 95%.

- (c) **Uses and restrictions.** Chromium oxide greens is safe for use in coloring externally applied drugs, including those intended for use in the area of eye, in amounts consistent with good manufacturing practice.
- (d) **Labeling.** The color additive and any mixture prepared therefrom intended solely or in part for coloring purposes shall bear, in addition to any information required by law, labeling in accordance with § 70.25 of this chapter.
- (e) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health, and therefore batches thereof are exempt from certification pursuant to section 721(c) of the act.

[42 FR 36451, July 15, 1977]

§ 73.1329 Guanine.

(a) **Identity.**

(1) The color additive guanine is the crystalline material obtained from fish scales and consists principally of the two purines, guanine and hypoxanthine. The guanine content will vary from 75 to 97 percent, and the hypoxanthine will vary from 3 to 25 percent, depending on the particular fish and tissue from which the crystals are derived.

(2) Color additive mixtures for drug use made with guanine may contain only those diluents listed in this subpart as safe and suitable for use in color additive mixtures for coloring externally applied drugs.

(b) **Specifications.** The color additive guanine shall conform to the following specifications and shall be free from impurities other than those named to the extent that such other impurities may be avoided by good manufacturing practice:

Guanine, not less than 75 percent.

Hypoxanthine, not more than 25 percent.

Ash (ignition at 800 °C), not more than 2 percent.

Lead (as Pb), not more than 20 parts per million.

Arsenic (as As), not more than 3 parts per million.

Assay, not less than 96 percent total purines.

Mercury (as Hg), not more than 1 part per million.

(c) **Uses and restrictions.** Guanine is safe for use in coloring externally applied drugs, including those intended for use in the area of the eye, in amounts consistent with good manufacturing practice.

(d) **Labeling.** The color additive and any mixture prepared therefrom intended solely or in part for coloring purposes shall bear, in addition to any information required by law, labeling in accordance with § 70.25 of this chapter.

(e) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health, and therefore batches thereof are exempt from certification pursuant to section 721(c) of the act.

[42 FR 37537, July 22, 1977]

§ 73.1350 Mica-based pearlescent pigments.

(a) **Identity.**

(1) The color additive is formed by depositing titanium and/or iron salts onto mica, followed by heating to produce one of the following combinations: Titanium dioxide on mica; iron oxide on mica; titanium dioxide and iron oxide on mica. Mica used to manufacture the color additive shall conform in identity to the requirements of § 73.1496(a)(1).

(2) Color additive mixtures for drug use made with mica-based pearlescent pigments may contain only those diluents listed in this subpart as safe and suitable for use in color additive mixtures for coloring ingested drugs.

- (b) **Specifications.** Mica-based pearlescent pigments shall conform to the following specifications and shall be free from impurities other than those named to the extent that such other impurities may be avoided by good manufacturing practice:
 - (1) Lead (as Pb), not more than 4 parts per million (ppm).
 - (2) Arsenic (as As), not more than 3 ppm.
 - (3) Mercury (as Hg), not more than 1 ppm.
- (c) **Uses and restrictions.** Mica-based pearlescent pigments may be safely used to color ingested drugs in amounts up to 3 percent, by weight, of the final drug product. The maximum amount of iron oxide to be used in producing said pigments is not to exceed 55 percent, by weight, in the finished pigment.
- (d) **Labeling.** The label of the color additive and of any mixture prepared therefrom intended solely or in part for coloring purposes shall conform to the requirements of § 70.25 of this chapter.
- (e) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health, and therefore batches thereof are exempt from the certification requirements of section 721(c) of the Federal Food, Drug, and Cosmetic Act.

[70 FR 42273, July 22, 2005. Redesignated at 72 FR 10357, Mar. 8, 2007]

§ 73.1375 Pyrogallol.

- (a) **Identity.** The color additive pyrogallol is 1,2,3-trihydroxybenzene.
- (b) **Specifications.** Pyrogallol shall conform to the following specifications and shall be free from impurities other than those named to the extent that such impurities may be avoided by good manufacturing practice:

Melting point, between 130° and 133 °C.

Residue on ignition, not more than 0.1 percent.

Lead (as Pb), not more than 20 p/m (parts per million).

Arsenic (as As), not more than 3 p/m.

- (c) **Uses and restrictions.** Pyrogallol may be safely used in combination with ferric ammonium citrate (as listed in § 73.1025), for coloring plain and chromic catgut sutures for use in general and ophthalmic surgery, subject to the following restrictions:
 - (1) The dyed suture shall conform in all respects to the requirements of the United States Pharmacopeia XX (1980).
 - (2) The level of the ferric ammonium citrate-pyrogallol complex shall not exceed 3 percent of the total weight of the suture material.
 - (3) When the sutures are used for the purposes specified in their labeling, there is no migration of the color additive to the surrounding tissues.

(4) If the suture is a new drug, an approved new drug application, pursuant to section 505 of the act, is in effect for it.

(d) **Labeling.** The label of the color additive shall conform to the requirements of § 70.25 of this chapter.

(e) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health and therefore batches thereof are exempt from the certification requirements of section 721(c) of the act.

[42 FR 15643, Mar. 22, 1977, as amended at 49 FR 10089, Mar. 19, 1984]

§ 73.1400 Pyrophyllite.

(a) **Identity.**

(1) The color additive pyrophyllite is a naturally occurring mineral substance consisting predominantly of a hydrous aluminum silicate, $\text{Al}_2\text{O}_3 \cdot 4\text{SiO}_2 \cdot \text{H}_2\text{O}$, intimately mixed with lesser amounts of finely divided silica, SiO_2 . Small amounts, usually less than 3 percent, of other silicates, such as potassium aluminum silicate, may be present. Pyrophyllite may be identified and semiquantitatively determined by its characteristic X-ray powder diffraction pattern and by its optical properties.

(2) Color additive mixtures made with pyrophyllite are limited to those listed in this subpart as safe and suitable in color additive mixtures for coloring externally applied drugs.

(b) **Specifications.** Pyrophyllite shall conform to the following specifications:

Lead (as Pb), not more than 20 parts per million.

Arsenic (as As), not more than 3 parts per million.

Lead and arsenic shall be determined in the solution obtained by boiling 10 grams of the pyrophyllite for 15 minutes in 50 milliliters of 0.5N hydrochloric acid.

(c) **Uses and restrictions.** Pyrophyllite may be safely used in amounts consistent with good manufacturing practice to color drugs that are to be externally applied.

(d) **Labeling requirements.** The labeling of the color additive and any mixtures prepared therefrom intended solely or in part for coloring purposes shall conform to the requirements of § 70.25 of this chapter.

(e) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health, and therefore batches thereof are exempt from the certification requirements of section 721(c) of the act.

§ 73.1410 Logwood extract.

(a) **Identity.** The color additive logwood extract is a reddish brown-to-black solid material extracted from the heartwood of the leguminous tree *Haematoxylon campechianum*. The active colorant substance is principally hematein. The latent coloring material is the unoxidized or leuco form of hematein called hematoxylin. The leuco form is oxidized by air.

(b) **Specifications.** Logwood extract shall conform to the following specifications and shall be free from impurities other than those named to the extent that such impurities may be avoided by good manufacturing practice:

Volatile matter (at 110 °C), not more than 15 percent.

Sulfated ash, not more than 20 percent.

Hematein, not less than 5 percent and not more than 20 percent.

Lead (as Pb), not more than 70 parts per million.

Arsenic (as As), not more than 4 parts per million.

Mercury (as Hg), not more than 3 parts per million.

(c) **Use and restrictions.** Logwood extract may be safely used to color nylon 66 (the copolymer of hexamethylenediamine and adipic acid), nylon 6 (the polymer of ε-caprolactam), or silk non-absorbable sutures for use in general and ophthalmic surgery subject to the following restrictions:

- (1) The quantity of color additive does not exceed 1.0 percent by weight of the suture.
- (2) When the sutures are used for the purposes specified in their labeling, there is no migration of the color additive to the surrounding tissue.
- (3) If the suture is a new drug, an approved new drug application, pursuant to section 505 of the act, is in effect for it.

(d) **Labeling.** The label of the color additive shall conform to the requirements of § 70.25 of this chapter.

(e) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health, and therefore batches thereof are exempt from the certification requirements of section 721(c) of the act.

[42 FR 52393, Sept. 30, 1977; 43 FR 1490, Jan. 10, 1978]

§ 73.1496 Mica.

(a) **Identity.**

- (1) The color additive mica is a white powder obtained from the naturally occurring mineral, muscovite mica, consisting predominantly of a potassium aluminum silicate, $K_2Al_4(Al_2Si_6O_{20})(OH)_4$ or, alternatively, $H_2KAl_3(SiO_4)_3$. Mica may be identified and semiquantitatively determined by its characteristic X-ray diffraction pattern and by its optical properties.
- (2) Color additive mixtures for drug use made with mica may contain only those diluents listed in this subpart as safe and suitable for use in color additive mixtures for coloring drugs.

(b) **Specifications.** Mica shall conform to the following specifications and shall be free from impurities other than those named to the extent that such other impurities may be avoided by good manufacturing practice:

Fineness, 100 percent shall pass through a 100-mesh sieve.

Loss on ignition at 600-650 °C, not more than 2 percent.

Lead (as Pb), not more than 20 parts per million.

Arsenic (as As), not more than 3 parts per million.

Mercury (as Hg), not more than 1 part per million.

- (c) **Uses and restrictions.** Mica may be safely used in amounts consistent with good manufacturing practice to color dentifrices and externally applied drugs, including those for use in the area of the eye.
- (d) **Labeling requirements.** The label of the color additive and of any mixture prepared therefrom intended solely or in part for coloring purposes shall conform to the requirements of § 70.25 of this chapter.
- (e) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health, and therefore batches thereof are exempt from the certification requirements of section 721(c) of the act.

[42 FR 38561, July 29, 1977, as amended at 52 FR 29665, Aug. 11, 1987]

§ 73.1530 Spirulina extract.

- (a) **Identity.**
 - (1) The color additive spirulina extract is prepared by the filtered aqueous extraction of the dried biomass of *Arthrospira platensis*. The color additive contains phycocyanins as the principal coloring components.
 - (2) Color additive mixtures for drug use made with spirulina extract may contain only those diluents that are suitable and are listed in this subpart as safe for use in color additive mixtures for coloring ingested drugs.
- (b) **Specifications.** Spirulina extract must conform to the following specifications and must be free from impurities, other than those named, to the extent that such other impurities may be avoided by good manufacturing practice:
 - (1) Lead, not more than 2 milligrams per kilogram (mg/kg) (2 parts per million (ppm));
 - (2) Arsenic, not more than 2 mg/kg (2 ppm);
 - (3) Mercury, not more than 1 mg/kg (1 ppm); and
 - (4) Negative for microcystin toxin.
- (c) **Uses and restrictions.** Spirulina extract may be safely used for coloring coating formulations applied to drug tablets and capsules, at levels consistent with good manufacturing practice.
- (d) **Labeling requirements.** The label of the color additive and any mixture prepared therefrom intended solely or in part for coloring purposes shall conform to the requirements of § 70.25 of this chapter.
- (e) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health, and therefore batches thereof are exempt from the certification requirements of section 721(c) of the Federal Food, Drug, and Cosmetic Act.

[80 FR 50765, Aug. 21, 2015]

§ 73.1550 Talc.

(a) **Identity.**

- (1) The color additive talc is a finely powdered, native, hydrous magnesium silicate sometimes containing a small proportion of aluminum silicate.
- (2) Color additive mixtures for drug use made with talc may contain only those diluents listed in this subpart as safe and suitable for use in color additive mixtures for coloring drugs.

(b) **Specifications.** Talc shall meet the specifications for talc in the United States Pharmacopeia XX (1980) and the following:

Lead (as Pb), not more than 20 parts per million.

Arsenic (as As), not more than 3 parts per million.

Lead and arsenic shall be determined in the solution obtained by boiling 10 grams of the talc for 15 minutes in 50 milliliters of 0.5N hydrochloric acid.

- (c) **Uses and restrictions.** Talc may be safely used in amounts consistent with good manufacturing practice to color drugs generally.
- (d) **Labeling requirements.** The label of the color additive and of any mixtures prepared therefrom intended solely or in part for coloring purposes shall conform to the requirements of § 70.25 of this chapter.
- (e) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health, and therefore batches thereof are exempt from the certification requirements of section 721(c) of the act.

[42 FR 15643, Mar. 22, 1977, as amended at 49 FR 10089, Mar. 19, 1984]

§ 73.1575 Titanium dioxide.

(a) **Identity and specifications.**

- (1) The color additive titanium dioxide shall conform in identity and specifications to the requirements of § 73.575(a)(1) and (b).
- (2) Color additive mixtures for drug use made with titanium dioxide may contain only those diluents that are suitable and that are listed in this subpart as safe in color additive mixtures for coloring drugs, and the following: Silicon dioxide, SiO₂, and/or aluminum oxide, Al₂O₃, as dispersing aids—not more than 2 percent total.

- (b) **Uses and restrictions.** The color additive titanium dioxide may be used for coloring ingested and externally applied drugs generally, in amounts consistent with good manufacturing practice. External application includes use in the area of the eye.
- (c) **Labeling.** The label of the color additive and any mixtures prepared therefrom and intended solely or in part for coloring purposes shall conform to the requirements of § 70.25 of the chapter.
- (d) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health and therefore batches thereof are exempt from the certification requirements of section 721(c) of the act.

§ 73.1645 Aluminum powder.

(a) **Identity.**

- (1) The color additive aluminum powder shall be composed of finely divided particles of aluminum prepared from virgin aluminum. It is free from admixture with other substances.
- (2) Color additive mixtures for external drug use made with aluminum powder may contain only those diluents listed in this subpart as safe and suitable in color additive mixtures for coloring externally applied drugs.

(b) **Specifications.** Aluminum powder shall conform to the following specifications and shall be free from impurities other than those named to the extent that such impurities may be avoided by good manufacturing practice:

Fineness, 100 percent shall pass through a 200-mesh screen and 95 percent shall pass through a 325-mesh screen.

Mercury, not more than 1 part per million.

Arsenic, not more than 3 parts per million.

Lead, not more than 20 parts per million.

Aluminum, not less than 99 percent.

(c) **Uses and restrictions.** Aluminum powder is safe for use in externally applied drugs, including those intended for use in the area of the eye, in amounts consistent with good manufacturing practice.

(d) **Labeling.** The color additive and any mixture prepared therefrom intended solely or in part for coloring purposes shall bear, in addition to any information required by law, labeling in accordance with § 70.25 of this chapter.

(e) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health, and therefore batches thereof are exempt from certification pursuant to section 721(c) of the act.

[42 FR 38563, July 29, 1977]

§ 73.1646 Bronze powder.

(a) **Identity.**

- (1) The color additive bronze powder is a very fine metallic powder prepared from alloys consisting principally of virgin electrolytic copper and zinc with small amounts of the virgin metals aluminum and tin. It contains small amounts of stearic or oleic acid as lubricants.
- (2) Color additive mixtures for drug use made with bronze powder may contain only those diluents listed in this subpart as safe and suitable for use in color additive mixtures for coloring externally applied drugs.

- (b) **Specifications.** Bronze powder shall conform to the following specifications and shall be free from impurities other than those named to the extent that such impurities may be avoided by good manufacturing practice:

Stearic or oleic acid, not more than 5 percent.

Cadmium (as Cd), not more than 15 parts per million.

Lead (as Pb), not more than 20 parts per million.

Arsenic (as As), not more than 3 parts per million.

Mercury (as Hg), not more than 1 part per million

Aluminum (as Al), not more than 0.5 percent.

Tin (as Sn), not more than 0.5 percent.

Copper (as Cu), not more than 95 percent and not less than 70 percent.

Zinc (as Zn), not more than 30 percent.

Maximum particle size 45 μ (95 percent minimum).

Aluminum, zinc, tin, and copper content shall be based on the weight of the dried powder after being thoroughly washed with ether.

- (c) **Uses and restrictions.** Bronze powder may be safely used in color externally applied drugs, including those intended for use in the area of the eye, in amounts consistent with good manufacturing practice.
- (d) **Labeling.** The color additive and any mixture prepared therefrom intended solely or in part for coloring purposes shall conform to the requirements of § 70.25 of this chapter.
- (e) **Exemption from certification.** Certification of the color additive is not necessary for the protection of the public health, and therefore batches thereof are exempt from the certification requirements of section 721(c) of the act.

[42 FR 33723, July 1, 1977]

§ 73.1647 Copper powder.

- (a) **Identity.**

- (1) The color additive copper powder is a very fine free-flowing metallic powder prepared from virgin electrolytic copper. It contains small amounts of stearic or oleic acid as lubricants.
- (2) Color additive mixtures for drug use made with copper powder may contain only those diluents listed in this subpart as safe and suitable for use in color additive mixtures for coloring externally applied drugs.

- (b) **Specifications.** Copper powder shall conform to the following specifications and shall be free from impurities other than those named to the extent that such impurities may be avoided by good manufacturing practice:

Stearic or oleic acid, not more than 5 percent.

Cadmium (as Cd), not more than 15 parts per million.

Lead (as Pb), not more than 20 parts per million.

Arsenic (as As), not more than 3 parts per million.

Mercury (as Hg), not more than 1 part per million.

Copper (as Cu), not less than 95 percent.

Maximum particle size 45 μ (95 percent minimum).

- (c) **Uses and restrictions.** Copper powder may be safely used in coloring externally applied drugs, including those intended for use in the area of the eye, in amounts consistent with good manufacturing practice.
- (d) **Labeling.** The color additive and any mixture prepared therefrom intended solely or in part for coloring purposes shall conform to the requirements of § 70.25 of this chapter.
- (e) **Exemption from certification.** Certification of the color additive is not necessary for the protection of the public health, and therefore batches thereof are exempt from the certification requirements of section 721(c) of the act.

[42 FR 33723, July 1, 1977]

§ 73.1991 Zinc oxide.

- (a) **Identity.**

(1) The color additive zinc oxide is a white or yellow-white amorphous powder manufactured by the French process (described as the indirect process whereby zinc metal isolated from the zinc-containing ore is vaporized and then oxidized). It is principally composed of Zn.

(2) Color additive mixtures for drug use made with zinc oxide may contain only those diluents listed in this subpart as safe and suitable in color additive mixtures for coloring externally applied drugs.

- (b) **Specifications.** Zinc oxide shall conform to the following specifications and shall be free from impurities other than those named to the extent that such impurities may be avoided by good manufacturing practice:

Zinc oxide (as ZnO), not less than 99 percent.

Loss on ignition at 800 °C, not more than 1 percent.

Cadmium (as Cd), not more than 15 parts per million.

Mercury (as Hg), not more than 1 part per million.

Arsenic (as As), not more than 3 parts per million.

Lead (as Pb), not more than 20 parts per million.

- (c) **Uses and restrictions.** The color additive zinc oxide may be safely used for coloring externally applied drugs, including those used in the area of the eye, in amounts consistent with good manufacturing practice.
- (d) **Labeling.** The color additive and any mixtures prepared therefrom intended solely or in part for coloring purposes shall bear, in addition to any information required by law, labeling in accordance with the provisions of § 70.25 of this chapter.
- (e) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health, and therefore batches thereof are exempt from the certification pursuant to section 721(c) of the act.

[42 FR 37537, July 22, 1977]

Subpart C—Cosmetics

§ 73.2030 Annatto.

- (a) **Identity and specification.** The color additive annatto shall conform in identity and specification to the requirements for annatto extract in § 73.30(a) (1) and (b).
- (b) **Use and restriction.** The color additive annatto may be safely used in coloring cosmetics generally, including cosmetics intended for use in the area of the eye, in amounts consistent with good manufacturing practice.
- (c) **Labeling.** The color additive and any mixture prepared therefrom intended solely or in part for coloring purposes shall bear, in addition to any information required by law, labeling in accordance with the provisions of § 70.25 of this chapter.
- (d) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health, and therefore batches thereof are exempt from the certification requirements of section 721(c) of the act.

[42 FR 36994, July 19, 1977]

§ 73.2085 Caramel.

- (a) **Identity and specifications.** The color additive caramel shall conform in identity and specifications to the requirements of § 73.85(a)(1), (2), and (3) and (b).
- (b) **Uses and restrictions.** Caramel is safe for use in coloring cosmetics generally, including cosmetics applied to the area of the eye, in amounts consistent with good manufacturing practice.
- (c) **Labeling requirements.** The label of the color additive and any mixtures intended solely or in part for coloring purposes prepared therefrom shall conform to the requirements of § 70.25 of this chapter.

- (d) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health, and therefore batches thereof are exempt from the certification requirement of section 721(c) of the act.

[46 FR 38501, July 28, 1981]

§ 73.2087 Carmine.

- (a) **Identity and specifications.** The color additive carmine shall conform in identity and specifications to the requirements of § 73.100 (a)(2) and (b)(2).
- (b) **Use and restrictions.** Carmine may be safely used in cosmetics generally, including cosmetics intended for use in the area of the eye, in amounts consistent with good manufacturing practices.
- (c) **Labeling.**
 - (1) The color additive and any mixture prepared therefrom intended solely or in part for coloring purposes shall bear, in addition to any information required by law, labeling in accordance with the provisions of § 70.25 of this chapter.
 - (2) Cosmetics containing carmine that are not subject to the requirements of § 701.3 of this chapter shall specifically declare the presence of carmine prominently and conspicuously at least once in the labeling. For example: "Contains carmine as a color additive."
- (d) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health, and therefore batches thereof are exempt from the certification pursuant to section 721(c) of the act.

[42 FR 32228, June 24, 1977, as amended at 74 FR 216, Jan. 5, 2009]

§ 73.2095 β-Carotene.

- (a) **Identity and specifications.** The color additive β-carotene shall conform in identity and specifications to the requirements of § 73.95(a)(1) and (b).
- (b) **Uses and restrictions.** The color additive β-carotene may be safely used in coloring cosmetics generally, including cosmetics intended for use in the area of the eye, in amounts consistent with good manufacturing practices.
- (c) **Labeling.** The color additive and any mixture prepared therefrom intended solely or in part for coloring purposes shall bear, in addition to any information required by law, labeling in accordance with the provisions of § 70.25 of this chapter.
- (d) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health, and therefore batches thereof are exempt from the certification pursuant to section 721(c) of the act.

[42 FR 33722, July 1, 1977]

§ 73.2110 Bismuth citrate.

- (a) **Identity.** The color additive bismuth citrate is the synthetically prepared crystalline salt of bismuth and citric acid, consisting principally of $\text{BiC}_6\text{H}_5\text{O}_7$.
- (b) **Specifications.** The color additive bismuth citrate shall conform to the following specifications and shall be free from impurities other than those named to the extent that those impurities may be avoided by good manufacturing practice:

Bismuth citrate, not less than 97 percent.

Mercury (as Hg), not more than 1 part per million.

Arsenic (as As), not more than 3 parts per million.

Lead (as Pb), not more than 20 parts per million.

Volatile matter, not more than 1 percent.

- (c) **Uses and restrictions.** The color additive bismuth citrate may be safely used in cosmetics intended for coloring hair on the scalp, subject to the following restrictions:

- (1) The amount of bismuth citrate in the cosmetic shall not be in excess of 2.0 percent (w/v).
- (2) The cosmetic may not be used for coloring eyelashes, eyebrows, or hair on parts of the body other than the scalp.

- (d) **Labeling.**

- (1) The label of the color additive bismuth citrate shall bear, in addition to any information required by law, labeling in accordance with the provisions of § 70.25 of this chapter.
- (2) The label of a cosmetic containing the color additive bismuth citrate shall bear, in addition to other information required by law, the following statement, conspicuously displayed thereon:

Keep this product out of children's reach. Do not use on cut or abraded scalp. Do not use to color eyelashes, eyebrows, or hair on parts of the body other than the scalp. Wash hands thoroughly after each use.

- (e) **Exemption from certification.** Certification of this color additive for the prescribed use is not necessary for the protection of the public health, and, therefore, batches thereof are exempt from certification requirements of section 721(c) of the act.

[43 FR 44831, Sept. 29, 1978, as amended at 75 FR 14493, Mar. 26, 2010]

§ 73.2120 Disodium EDTA-copper.

- (a) **Identity.** The color additive disodium EDTA-copper is disodium $[[N,N'-1,2\text{-ethanediylbis}(N\text{-carboxymethyl})\text{glycinato}]](4\text{-})\text{-}N,N',O,O',O^N,O^N]$ cuprate (2-).

- (b) **Specifications.** Disodium EDTA-copper shall conform to the following specifications and shall be free from impurities other than those named to the extent that such impurities may be avoided by good manufacturing practice:

Total copper, not less than 13.5 percent.

Total (ethylene-dinitrilo) tetracetic acid, not less than 62.5 percent.

Free copper, not more than 100 parts per million.

Free disodium salt of (ethylene-dinitrilo) tetraacetic acid, not more than 1.0 percent.

Moisture, not more than 15 percent.

Water insoluble matter, not more than 0.2 percent.

Lead (as Pb), not more than 20 parts per million.

Arsenic (as As), not more than 3 parts per million.

- (c) **Uses and restrictions.** Disodium EDTA-copper may be safely used in amounts consistent with good manufacturing practices in the coloring of shampoos which are cosmetics.
- (d) **Labeling requirements.** The labeling of the color additive shall conform to the requirements of § 70.25 of this chapter.
- (e) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health and therefore batches thereof are exempt from the requirements of section 721(c) of the act.

§ 73.2125 Potassium sodium copper chlorophyllin (chlorophyllin-copper complex).

- (a) **Identity and specifications.** The color additive potassium sodium copper chlorophyllin shall conform in identity and specifications to the requirements of § 73.1125(a)(1) and (b).
- (b) **Uses and restrictions.** Potassium sodium copper chlorophyllin may be safely used for coloring dentifrices that are cosmetics subject to the following conditions:
- (1) It shall not be used at a level in excess of 0.1 percent.
 - (2) It may be used only in combination with the following substances:
 - Water.
 - Glycerin.
 - Sodium carboxymethylcellulose.
 - Tetrasodium pyrophosphate.
 - Sorbitol.

Magnesium phosphate, tribasic.

Calcium carbonate.

Calcium phosphate, dibasic.

Sodium *N*-lauroyl sarcosinate.

Artificial sweeteners that are generally recognized as safe or that are authorized under subchapter B of this chapter.

Flavors that are generally recognized as safe or that are authorized under subchapter B of this chapter.

Preservatives that are generally recognized as safe or that are authorized under subchapter B of this chapter.

- (c) **Labeling.** The label of the color additive shall conform to the requirements of § 70.25 of this chapter.
- (d) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health and therefore batches thereof are exempt from the certification requirements of section 721(c) of the act.

§ 73.2150 Dihydroxyacetone.

- (a) **Identity and specifications.** The color additive dihydroxyacetone shall conform in identity and specifications to the requirements of § 73.1150 (a)(1) and (b).
- (b) **Uses and restrictions.** Dihydroxyacetone may be safely used in amounts consistent with good manufacturing practice in externally applied cosmetics intended solely or in part to impart a color to the human body.
- (c) **Labeling requirements.** The labeling of the color additive and any mixtures prepared therefrom intended solely or in part for coloring purposes shall conform to the requirements of § 70.25 of this chapter.
- (d) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health and therefore batches thereof are exempt from the requirements of section 721(c) of the act.

§ 73.2162 Bismuth oxychloride.

- (a) **Identity and specifications.**
 - (1) The color additive bismuth oxychloride shall conform in identity and specifications to the requirements of § 73.1162(a)(1) and (b).
 - (2) Color additive mixtures of bismuth oxychloride may contain the following diluents:
 - (i) For coloring cosmetics generally, only those diluents listed under § 73.1001(a)(1);
 - (ii) For coloring externally applied cosmetics, only those diluents listed in § 73.1001(b) and, in addition, nitrocellulose.

- (b) **Uses and restrictions.** The color additive bismuth oxychloride may be safely used in coloring cosmetics generally, including cosmetics intended for use in the area of the eye, in amounts consistent with good manufacturing practice.
- (c) **Labeling.** The color additive and any mixture prepared therefrom intended solely or in part for coloring purposes shall bear, in addition to any information required by law, labeling in accordance with the provisions of § 70.25 of this chapter.
- (d) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health, and therefore batches thereof are exempt from certification pursuant to section 721(c) of the act.

[42 FR 52394, Sept. 30, 1977]

§ 73.2180 Guaiazulene.

(a) **Identity.**

- (1) The color additive, guaiazulene, is principally 1,4-dimethyl-7-isopropyl-azulene.
- (2) Color additive mixtures of guaiazulene for cosmetic use may contain the following diluent:

Polyethylene glycol-40 castor oil (PEG-40 castor oil).

Saponification No., 60 to 70.

Hydroxyl No., 63 to 78.

Acid No., 2.

Specific gravity, 1.05 to 1.07.

- (b) **Specifications.** Guaiazulene shall conform to the following specifications and shall be free from impurities, other than those named, to the extent that such other impurities may be avoided by good manufacturing practice.

Melting point, 30.5 °C to 31.5 °C.

Lead (as Pb), not more than 20 parts per million.

Arsenic (as As), not more than 3 parts per million.

Mercury (as Hg), not more than 1 part per million.

Total color, not less than 99 percent.

- (c) **Uses and restrictions.** Guaiazulene may be safely used in externally applied cosmetics in amounts consistent with good manufacturing practice.
- (d) **Labeling.** The label of the color additive and any mixtures prepared therefrom intended solely or in part for coloring purposes shall conform to the requirements of § 70.25 of this chapter.

- (e) **Exemption from certification.** Certification of this color additive for the prescribed use is not necessary for the protection of the public health and therefore batches thereof are exempt from the certification requirements of section 721(c) of the act.

§ 73.2190 Henna.

- (a) **Identity.** The color additive henna is the dried leaf and petiole of *Lawsonia alba* Lam. (*Lawsonia inermis* L.). It may be identified by its characteristic odor and by characteristic plant histology.
- (b) **Specifications.** Henna shall conform to the following specifications:

It shall not contain more than 10 percent of plant material from *Lawsonia alba* Lam. (*Lawsonia inermis* L.) other than the leaf and petiole, and shall be free from admixture with material from any other species of plant.

Moisture, not more than 10 percent.

Total ash, not more than 15 percent.

Acid-insoluble ash, not more than 5 percent.

Lead (as Pb), not more than 20 parts per million.

Arsenic (as As), not more than 3 parts per million.

- (c) **Uses and restrictions.** The color additive henna may be safely used for coloring hair only. It may not be used for coloring the eyelashes or eyebrows, or generally in the area of the eye.
- (d) **Labeling.** The label for henna shall bear the information required by § 70.25 of this chapter and the following statements or their equivalent:

“Do not use in the area of the eye.”

“Do not use on cut or abraded scalp.”

- (e) **Exemption from certification.** Certification of this color additive for the prescribed use is not necessary for the protection of the public health and therefore batches thereof are exempt from the certification requirements of section 721(c) of the act.

§ 73.2250 Iron oxides.

- (a) **Identity.** The color additives iron oxides consist of any one or any combination of synthetically prepared iron oxides, including the hydrated forms. It is free from admixture with other substances.
- (b) **Specifications.** Iron oxides shall conform to the following specifications, all on an “as is” basis:

Arsenic (as As), not more than 3 parts per million.

Lead (as Pb), not more than 10 parts per million.

Mercury (as Hg), not more than 3 parts per million.

- (c) **Uses and restrictions.** Iron oxides are safe for use in coloring cosmetics generally, including cosmetics applied to the area of the eye, in amounts consistent with good manufacturing practice.
- (d) **Labeling.** The color additive and any mixture prepared therefrom intended solely or in part for coloring purposes shall bear, in addition to any information required by law, labeling in accordance with § 70.25 of this chapter.
- (e) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health, and therefore batches thereof are exempt from certification pursuant to section 721(c) of the act.

§ 73.2298 Ferric ammonium ferrocyanide.

- (a) **Identity and specifications.** The color additive ferric ammonium ferrocyanide shall conform in identify and specifications to the requirements of § 73.1298 (a)(1) and (b).
- (b) **Uses and restrictions.** Ferric ammonium ferrocyanide is safe for use in coloring externally applied cosmetics, including cosmetics applied to the area of the eye, in amounts consistent with good manufacturing practice.
- (c) **Labeling.** The color additive and any mixture prepared therefrom intended solely or in part for coloring purposes shall bear, in addition to any information required by law, labeling in accordance with § 70.25 of this chapter.
- (d) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health, and therefore batches thereof are exempt from the certification pursuant to section 721(c) of the act.

[42 FR 38562, July 29, 1977, as amended at 43 FR 6939, Feb. 17, 1978]

§ 73.2299 Ferric ferrocyanide.

- (a) **Identity and specifications.** The color additive ferric ferrocyanide shall conform in identity and specifications to the requirements of § 73.1299(a)(1) and (b).
- (b) **Uses and restrictions.** Ferric ferrocyanide is safe for use in coloring externally applied cosmetics, including cosmetics applied to the area of the eye, in amounts consistent with good manufacturing practice.
- (c) **Labeling.** The color additive and any mixture prepared therefrom intended solely or in part for coloring purposes shall bear, in addition to any information required by law, labeling in accordance with § 70.25 of this chapter.
- (d) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health, and therefore batches thereof are exempt from certification under section 721(c) of the act.

[43 FR 54236, Nov. 21, 1978]

§ 73.2326 Chromium hydroxide green.

- (a) **Identity and specifications.** The color additive chromium hydroxide green shall conform in identity and specifications to the requirements of § 73.1326 (a)(1) and (b).

- (b) **Uses and restrictions.** Chromium hydroxide green is safe for use in coloring externally applied cosmetics, including those intended for use in the area of the eye, in amounts consistent with good manufacturing practice.
- (c) **Labeling.** The color additive and any mixture prepared therefrom intended solely or in part for coloring purposes shall bear, in addition to any information required by law, labeling in accordance with § 70.25 of this chapter.
- (d) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health, and therefore batches thereof are exempt from certification pursuant to section 721(c) of the act.

[42 FR 36452, July 15, 1977]

§ 73.2327 Chromium oxide greens.

- (a) **Identity and specifications.** The color additive chromium oxide greens shall conform in identify and specifications to the requirements of § 73.1327 (a)(1) and (b).
- (b) **Uses and restrictions.** The color additive chromium oxide greens may be safely used in externally applied cosmetics, including cosmetics intended for use in the area of the eye, in amounts consistent with good manufacturing practice.
- (c) **Labeling requirements.** The color additive and any mixtures prepared therefrom intended solely or in part for coloring purposes shall bear, in addition to any information required by law, labeling in accordance with the provisions of § 70.25 of this chapter.
- (d) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health, and therefore batches thereof are exempt from the certification pursuant to section 721(c) of the act.

[42 FR 36452, July 15, 1977]

§ 73.2329 Guanine.

- (a) **Identity and specifications.**
 - (1) The color additive guanine shall conform in identity and specifications to the requirements of § 73.1329 (a)(1) and (b).
 - (2) Color additive mixtures of guanine may contain the following diluents:
 - (i) For coloring cosmetics generally, only those diluents listed under § 73.1001(a)(1);
 - (ii) For coloring externally applied cosmetics, only those diluents listed in § 73.1001(b) and, in addition, nitrocellulose.
- (b) **Use and restrictions.** The color additive guanine may be safely used in cosmetics generally, including cosmetics intended for use in the area of the eye, in amounts consistent with good manufacturing practice.
- (c) **Labeling requirements.** The color additive and any mixtures prepared therefrom intended solely or in part for coloring purposes shall bear, in addition to any information required by law, labeling in accordance with the provisions of § 70.25 of this chapter.

- (d) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health, and therefore batches thereof are exempt from the certification pursuant to section 721(c) of the act.

[42 FR 37537, July 22, 1977]

§ 73.2400 Pyrophyllite.

- (a) **Identity and specifications.** The color additive pyrophyllite shall conform in identity and specifications to the requirements of § 73.1400 (a)(1) and (b).
- (b) **Uses and restrictions.** Pyrophyllite may be safely used for coloring externally applied cosmetics, in amounts consistent with good manufacturing practice.
- (c) **Labeling requirements.** The labeling of the color additive and any mixtures prepared therefrom intended solely or in part for coloring purposes shall conform to all applicable requirements of law, including the requirements of § 70.25 of this chapter.
- (d) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health and therefore batches thereof are exempt from the certification requirements of section 721(c) of the act.

§ 73.2496 Mica.

- (a) **Identity and specifications.** The color additive mica shall conform in identity and specifications to the requirements of § 73.1496(a)(1) and (b).
- (b) **Uses and restrictions.** Mica is safe for use in coloring cosmetics generally, including cosmetics applied to the area of the eye, in amounts consistent with good manufacturing practice.
- (c) **Labeling.** The color additive and any mixture prepared therefrom intended solely or in part for coloring purposes shall bear, in addition to any information required by law, labeling in accordance with of § 70.25 of this chapter.
- (d) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health, and therefore batches thereof are exempt from the certification pursuant to section 721(c) of the act.

[42 FR 38561, July 29, 1977]

§ 73.2500 Silver.

- (a) **Identity.**
 - (1) The color additive, silver, is a crystalline powder of high purity silver prepared by the reaction of silver nitrate with ferrous sulfate in the presence of nitric, phosphoric and sulfuric acids. Polyvinyl alcohol is used to prevent the agglomeration of crystals and the formation of amorphous silver.
 - (2) Color additive mixtures of silver may contain only those diluents listed in § 73.1001(b) and, in addition, nitrocellulose.

- (b) **Specifications.** Silver shall conform to the following specifications and shall be free from impurities other than those named to the extent that such other impurities may be avoided by good manufacturing practice:

Lead (as Pb), not more than 10 parts per million.

Arsenic (as As), not more than 5 parts per million.

Mercury (as Hg), not more than 1 part per million.

Silver (as Ag), not less than 99.9 percent.

- (c) **Uses and restrictions.** The color additive silver may be safely used for coloring fingernail polish at a level not to exceed 1 percent of the final product.
- (d) **Labeling.** The color additive and any mixtures prepared therefrom intended solely or in part for coloring purposes shall bear, in addition to any other information required by law, labeling in accordance with the provisions of § 70.25 of this chapter.
- (e) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health and therefore batches thereof are exempt from the certification requirements of section 721(c) of the act.

[44 FR 65974, Nov. 16, 1979]

§ 73.2550 Silver nitrate.

- (a) **Identity.** The color additive silver nitrate is a purified inorganic compound obtained as the recrystallized precipitate from the concentrated reaction mixture of silver and excess nitric acid at elevated temperatures, followed by drying the decanted, filtered, and washed crystals. The color additive has the chemical formula AgNO_3 .
- (b) **Specifications.** Silver nitrate shall conform to the following specifications and shall be free from impurities other than those named to the extent that such impurities may be avoided by good manufacturing practice:
- (1) Arsenic, not more than 3 milligrams/kilogram (mg/kg) (3 parts per million (ppm)).
 - (2) Cadmium, not more than 5 mg/kg (5 ppm).
 - (3) Lead, not more than 10 mg/kg (10 ppm).
 - (4) Mercury, not more than 1 mg/kg (1 ppm).
 - (5) Volatile matter, calculated as water, not more than 0.1 percent.
 - (6) Total color, not less than 99.9 percent.
- (c) **Uses and restrictions.** The color additive silver nitrate may be safely used in externally applied professional-use only cosmetics intended to impart color to the eyebrows and eyelashes subject to the following restrictions:
- (1) The amount of silver nitrate in the cosmetic product shall not be more than 4 percent by weight.

- (2) The viscosity of the cosmetic formulation shall be not less than 120 Pascal-seconds (Pa·s) and not more than 180 Pa·s at normal temperature and pressure.
- (3) The cosmetic containing silver nitrate is not intended for use on persons under the age of 16.
- (4) Application of the cosmetic containing silver nitrate is not intended to exceed 1 minute and is intended to be followed by immediate removal.
- (5) The cosmetic containing silver nitrate is applied by a professional.
- (6) The cosmetic containing silver nitrate is not distributed or directly sold to consumers.

(d) **Labeling requirements.**

- (1) The label of the color additive and any mixture prepared therefrom intended solely or in part for coloring purposes shall conform to the requirements of § 70.25 of this chapter and include adequate directions to prepare a final product complying with the limitations prescribed in paragraph (c) of this section.
- (2) The label of any cosmetic containing the color additive silver nitrate, in addition to other information required by law, shall contain the following statements: Contains silver nitrate. Silver nitrate may permanently stain skin with which it comes into contact. Silver nitrate may irritate the eyes. For application by professionals only for dyeing eyebrows and eyelashes, in accordance with the directions for use. Not for use on persons under the age of 16. Apply to eyebrows and eyelashes for no more than 1 minute, followed by immediate removal. Rinse eyes immediately if product comes into contact with them. Consult a physician if any irritation persists. Not for distribution or direct sale to consumers.

- (e) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health, and therefore batches thereof are exempt from the certification requirements of section 721(c) of the Federal Food, Drug, and Cosmetic Act

[86 FR 55498, Oct. 6, 2021]

§ 73.2575 Titanium dioxide.

- (a) **Identity and specifications.** The color additive titanium dioxide shall conform in identity and specifications to the requirements on § 73.575 (a)(1) and (b).
- (b) **Uses and restrictions.** The color additive titanium dioxide may be safely used in cosmetics, including cosmetics intended for use in the area of the eye, in amounts consistent with good manufacturing practice.
- (c) **Labeling requirements.** The color additive and any mixtures prepared therefrom intended solely or in part for coloring purposes shall bear, in addition to any other information required by law, labeling in accordance with the provisions of § 70.25 of this chapter.
- (d) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health, and therefore batches thereof are exempt from certification pursuant to section 721(c) of the act.

§ 73.2645 Aluminum powder.

- (a) **Identity and specifications.** The color additive aluminum powder shall conform in identity and specifications to the requirements of § 73.1645 (a)(1) and (b).

- (b) **Uses and restrictions.** Aluminum powder may be safely used in coloring externally applied cosmetics, including cosmetics intended for use in the area of the eye, in amounts consistent with good manufacturing practice.
- (c) **Labeling.** The color additive and any mixture prepared therefrom intended solely or in part for coloring purposes shall bear, in addition to any information required by law, labeling in accordance with the provisions of § 70.25 of this chapter.
- (d) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health, and therefore batches thereof are exempt from the certification pursuant to section 721(c) of the act.

[42 FR 38563, July 29, 1977]

§ 73.2646 Bronze powder.

- (a) **Identity and specifications.** The color additive bronze powder shall conform in identity and specifications to the requirements of § 73.1646 (a)(1) and (b).
- (b) **Uses and restrictions.** Bronze powder may be safely used in coloring cosmetics generally, including cosmetics intended for use in the area of the eye, in amounts consistent with good manufacturing practice.
- (c) **Labeling.** The color additive and any mixture prepared therefrom intended solely or in part for coloring purposes shall conform to the requirements of § 70.25 of this chapter.
- (d) **Exemption from certification.** Certification of the color additive is not necessary for the protection of the public health, and therefore batches thereof are exempt from the certification requirements of section 721(c) of the act.

[42 FR 33724, July 1, 1977]

§ 73.2647 Copper powder.

- (a) **Identity and specifications.** The color additive copper powder shall conform in identity and specifications to the requirements of § 73.1647 (a)(1) and (b).
- (b) **Uses and restrictions.** Copper powder may be safely used in coloring cosmetics generally, including cosmetics intended for use in the area of the eye, in amounts consistent with good manufacturing practice.
- (c) **Labeling.** The color additive and any mixture prepared therefrom intended solely or in part for coloring purposes shall conform to the requirements of § 70.25 of this chapter.
- (d) **Exemption from certification.** Certification of the color additive is not necessary for the protection of the public health, and therefore batches thereof are exempt from the certification requirements of section 721(c) of the act.

[42 FR 33724, July 1, 1977]

§ 73.2725 Ultramarines.

- (a) **Identity.** The color additives, ultramarines (blue, green, pink, red, and violet) are pigments obtained by calcining at temperatures above 700 °C. a mixture of kaolin, sulfur, sodium carbonate, silicious matter, sodium sulfate, and carbonaceous matter, but not necessarily all these substances, to produce a single color. The ultramarines are complex sodium aluminum sulfosilicates having a typical formula $\text{Na}(\text{AlSiO})\text{S}$ with proportions of each element varying with each color.
- (b) **Specifications.** The ultramarines shall conform to the following specifications and shall be free from impurities other than those named, to the extent that such other impurities may be avoided by good manufacturing practice.

Lead (as Pb), not more than 20 parts per million.

Arsenic (as As), not more than 3 parts per million.

Mercury (as Hg), not more than 1 part per million.

- (c) **Uses and restrictions.** The ultramarine pigments may be safely used for coloring externally applied cosmetics, including cosmetics intended for use in the area of the eye, in amounts consistent with good manufacturing practice.
- (d) **Labeling requirements.** The color additives and any mixtures prepared therefrom intended solely or in part for coloring purposes shall bear, in addition to any other information required by law, labeling in accordance with § 70.25 of this chapter.
- (e) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health, and therefore batches thereof are exempt from certification pursuant to section 721(c) of the act.

§ 73.2775 Manganese violet.

- (a) **Identity.** The color additive manganese violet is a violet pigment obtained by reacting phosphoric acid, ammonium dihydrogen orthophosphate, and manganese dioxide at temperatures above 450 °F. The pigment is a manganese ammonium pyrophosphate complex having the approximate formula: $\text{Mn(III)NH}_4\text{P}_2\text{O}_7$.
- (b) **Specifications.** Manganese violet shall conform to the following specifications and shall be free from impurities other than those named, to the extent that such other impurities may be avoided by good manufacturing practice:

Ash (at 600 °C), not less than 81 percent.

Volatile matter at 135 °C for 3 hours, not more than 1 percent.

Water soluble substances, not more than 6 percent.

pH of filtrate of 10 grams color additive (shaken occasionally for 2 hours with 100 milliliters of freshly boiled distilled water), not more than 4.7 and not less than 2.5.

Lead (as Pb), not more than 20 parts per million.

Arsenic (as As), not more than 3 parts per million.

Mercury (as Hg), not more than 1 part per million.

Total color, based on Mn content in "as is" sample, not less than 93 percent.

- (c) **Uses and restrictions.** Manganese violet is safe for use in coloring cosmetics generally, including cosmetics applied to the area of the eye, in amounts consistent with good manufacturing practice.
- (d) **Labeling.** The color additive and any mixture prepared therefrom intended solely or in part for coloring purposes shall bear, in addition to any information required by law, labeling in accordance with § 70.25 of this chapter.
- (e) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health, and therefore batches thereof are exempt from certification pursuant to section 721(c) of the act.

§ 73.2991 Zinc oxide.

- (a) **Identity and specifications.** The color additive zinc oxide shall conform in identity and specifications to the requirements of § 73.1991 (a)(1) and (b).
- (b) **Uses and restrictions.** Zinc oxide may be safely used in cosmetics, including cosmetics intended for use in the area of the eye, in amounts consistent with good manufacturing practice.
- (c) **Labeling.** The color additive and any mixture prepared therefrom intended solely or in part for coloring purposes shall bear, in addition to any information required by law, labeling in accordance with § 70.25 of this chapter.
- (d) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health, and therefore batches thereof are exempt from the certification pursuant to section 721(c) of the act.

[42 FR 37538, July 22, 1977]

§ 73.2995 Luminescent zinc sulfide.

- (a) **Identity.** The color additive luminescent zinc sulfide is zinc sulfide containing a copper activator. Following excitation by daylight or a suitable artificial light, luminescent zinc sulfide produces a yellow-green phosphorescence with a maximum at 530 nanometers.
- (b) **Specifications.** Luminescent zinc sulfide shall conform to the following specifications and shall be free from impurities other than those named to the extent that such impurities may be avoided by good manufacturing practice:

Zinc sulfide, not less than 99.8 percent.

Copper, 100±5 parts per million.

Lead, not more than 20 parts per million.

Arsenic, not more than 3 parts per million.

Mercury, not more than 1 part per million.

Cadmium, not more than 15 parts per million.

(c) **Uses and restrictions.** The color additive luminescent zinc sulfide may be safely used for coloring externally applied facial makeup preparations and nail polish included under § 720.4(c)(7)(ix) and (c)(8)(v) of this chapter, respectively, to the following restrictions:

- (1) The amount of luminescent zinc sulfide in facial makeup preparations shall not exceed 10 percent by weight of the final product.
- (2) Facial makeup preparations containing luminescent zinc sulfide are intended for use only on limited, infrequent occasions, e.g., Halloween, and not for regular or daily use.

(d) **Labeling requirements.**

- (1) The label of the color additive and any mixtures prepared therefrom shall bear expiration dates for the sealed and open container (established through generally accepted stability testing methods), other information required by § 70.25 of this chapter, and adequate directions to prepare a final product complying with the limitations prescribed in paragraph (c) of this section.
- (2) The label of a facial makeup preparation containing the color additive shall bear, in addition to other information required by the law, the following statement conspicuously displayed:

Do not use in the area of the eye.

(e) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health, and therefore batches thereof are exempt from the certification requirements of section 721(c) of the act.

[65 FR 48377, Aug. 8, 2000; 65 FR 75158, Dec. 1, 2000]

Subpart D—Medical Devices

§ 73.3100 1,4-Bis[(2-hydroxyethyl)amino]-9,10-anthracenedione bis(2-methyl-2-propenoic)ester copolymers.

(a) **Identity.** The color additives are the copolymers formed as the reaction product of 1,4-bis[(2-hydroxyethyl)amino]-9,10-anthracenedione bis(2-methyl-2-propenoic)ester (C.I. Reactive Blue 247) (CAS Reg. No. 109561-07-1) with one or more vinyl and/or acrylic monomers to form the contact lens material.

(b) **Uses and restrictions.**

- (1) The substances listed in paragraph (a) of this section may be used in amounts not to exceed the minimum reasonably required to accomplish the intended coloring effect.
- (2) Authorization and compliance with these uses shall not be construed as waiving any of the requirements of sections 510(k), 515, and 520(g) of the Federal Food, Drug, and Cosmetic Act (the act) with respect to the contact lens made from the color additives.

(c) **Labeling.** The label of the color additives shall conform to the requirements of § 70.25 of this chapter.

- (d) **Exemption from certification.** Certification of these color additives is not necessary for the protection of the public health and therefore the color additives are exempt from the certification requirements of section 721(c) of the act.

[61 FR 51586, Oct. 3, 1996, as amended at 78 FR 19415, Apr. 1, 2013]]

§ 73.3105 1,4-Bis[(2-methylphenyl)amino]-9,10-anthracenedione.

- (a) **Identity.** The color additive is 1,4-bis[(2-methylphenyl)amino]-9,10-anthracenedione (CAS Reg. No. 6737-68-4).
- (b) **Uses and restrictions.**
- (1) The substance listed in paragraph (a) of this section may be used as a color additive in contact lenses in amounts not to exceed the minimum reasonably required to accomplish the intended coloring effect.
- (2) Authorization and compliance with this use shall not be construed as waiving any of the requirements of sections 510(k), 515, and 520(g) of the Federal Food, Drug, and Cosmetic Act (the act). A person intending to introduce a device containing 1,4-bis[(2-methylphenyl)amino]-9,10-anthracenedione listed under this section into commerce shall submit to the Food and Drug Administration either a premarket notification in accordance with subpart E of part 807 of this chapter, if the device is not subject to premarket approval, or submit and receive approval of an original or supplemental premarket approval application if the device is subject to premarket approval.
- (c) **Labeling.** The label of the color additive shall conform to the requirements of § 70.25 of this chapter.
- (d) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health, and therefore the color additive is exempt from the certification requirements of section 721(c) of the act.

[49 FR 30066, July 26, 1984]

§ 73.3106 1,4-Bis[4-(2-methacryloxyethyl)phenylamino]anthraquinone copolymers.

- (a) **Identity.** The color additives are the copolymers formed as the reaction product of 1,4-bis[4-(2-methacryloxyethyl)phenylamino]anthraquinone (C.I. Reactive Blue 246) (CAS Reg. No. 121888-69-5) with one or more vinyl and/or acrylic monomers to form the contact lens material.
- (b) **Uses and restrictions.**
- (1) The substances listed in paragraph (a) of this section may be used in amounts not to exceed the minimum reasonably required to accomplish the intended coloring effect.
- (2) Authorization and compliance with these uses shall not be construed as waiving any of the requirements of sections 510(k), 515, and 520(g) of the Federal Food, Drug, and Cosmetic Act (the act) with respect to contact lenses made from the color additives.
- (c) **Labeling.** The label of the color additives shall conform to the requirements of § 70.25 of this chapter.

- (d) **Exemption from certification.** Certification of these color additives is not necessary for the protection of the public health and, therefore, the color additives are exempt from the certification requirements of section 721(c) of the act.

[58 FR 17507, Apr. 5, 1993, as amended at 60 FR 10497, Feb. 27, 1995; 78 FR 19415, Apr. 1, 2013]

§ 73.3107 Carbazole violet.

- (a) **Identity.** The color additive is carbazole violet (Pigment Violet 23) (CAS Reg. No. 6358-30-1, Colour Index No. 51319).
- (b) **Uses and restrictions.**
- (1) The substance listed in paragraph (a) of this section may be used as a color additive in contact lenses in amounts not to exceed the minimum reasonably required to accomplish the intended coloring effect.
- (2) Authorization for this use shall not be construed as waiving any of the requirements of sections 510(k), 515, and 520(g) of the Federal Food, Drug, and Cosmetic Act (the act) with respect to the contact lens in which the color additive is used.
- (c) **Labeling.** The label of the color additive shall conform to the requirements of § 70.25 of this chapter.
- (d) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health, and therefore the color additive is exempt from the certification requirements of section 721(c) of the act.

[53 FR 41324, Oct. 21, 1988]

§ 73.3110 Chlorophyllin-copper complex, oil soluble.

- (a) **Identity.** The color additive is chlorophyllin-copper complex, oil soluble. The chlorophyllin is obtained by extraction from a mixture of fescue and rye grasses. The chlorophyll is acid-treated to remove chelated magnesium which is replaced with hydrogen, which is then replaced with copper. This mixture is diluted to a 5 percent concentration with a mixture of palm oil, peanut oil, and hydrogenated peanut oil.
- (b) **Specifications.** The color additive chlorophyllin-copper complex, oil soluble (5 percent in palm oil, peanut oil, and hydrogenated peanut oil), shall conform to the following specifications and shall be free from impurities other than those named to the extent that such other impurities may be avoided by current good manufacturing practice:

Moisture, not more than 0.5 percent.

Nitrogen, not less than 0.2 percent and not more than 0.3 percent.

Total copper, not less than 0.2 percent and not more than 0.4 percent.

Free copper, not more than 200 parts per million.

Lead, not more than 20 parts per million.

Arsenic, not more than 5 parts per million.

Sulfated ash, not more than 2.5 percent.

Total color, not less than 4.5 percent and not more than 5.5 percent.

(c) **Uses and restrictions.**

- (1) The color additive chlorophyllin-copper complex, oil soluble (5 percent in palm oil, peanut oil, and hydrogenated peanut oil), may be safely used to color polymethylmethacrylate bone cement. Chlorophyllin-copper complex may be used at levels that do not exceed 0.003 percent by weight of the bone cement.
- (2) Authorization for this use shall not be construed as waiving any of the requirements of sections 510(k), 515, and 520(g) of the Federal Food, Drug, and Cosmetic Act with respect to the polymethylmethacrylate bone cement in which chlorophyllin-copper complex, oil soluble, is used.

(d) **Labeling.** The label of the color additive shall conform to the requirements of § 70.25 of this chapter.

(e) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health, and therefore the color additive is exempt from the certification requirements of section 721(c) of the act.

[48 FR 56370, Dec. 21, 1983]

§ 73.3110a Chromium-cobalt-aluminum oxide.

(a) **Identity.** The color additive chromium-cobalt-aluminum oxide (Pigment Blue 36) (CAS Reg. No. 68187-11-1, Colour Index No. 77343) shall conform in identity and specifications to the requirements of § 73.1015 (a) and (b).

(b) **Uses and restrictions.**

- (1) The substance listed in paragraph (a) of this section may be used as a color additive in contact lenses in amounts not to exceed the minimum reasonably required to accomplish the intended coloring effect.
- (2) Authorization for this use shall not be construed as waiving any of the requirements of sections 510(k), 515, and 520(g) of the Federal Food, Drug, and Cosmetic Act (the act) with respect to the contact lens in which the color additive is used.

(c) **Labeling.** The label of the color additive shall conform to the requirements of § 70.25 of this chapter.

(d) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health, and therefore the color additive is exempt from the certification requirements of section 721(c) of the act.

[53 FR 41325, Oct. 21, 1988]

§ 73.3111 Chromium oxide greens.

- (a) **Identity and specifications.** The color additive chromium oxide greens (chromic oxide) (CAS Reg. No. 1308-38-9), Color Index No. 77288, shall conform in identity and specifications to the requirements of § 73.1327 (a)(1) and (b).
- (b) **Uses and restrictions.**
 - (1) The substance listed in paragraph (a) of this section may be used as a color additive in contact lenses in amounts not to exceed the minimum reasonably required to accomplish the intended coloring effect.
 - (2) Authorization and compliance with this use shall not be construed as waiving any of the requirements of sections 510(k), 515, and 520(g) of the Federal Food, Drug, and Cosmetic Act with respect to the contact lenses in which the additive is used.
- (c) **Labeling.** The label of the color additive shall conform to the requirements of § 70.25 of this chapter.
- (d) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health, and therefore the color additive is exempt from the certification requirements of section 721(c) of the act.

[51 FR 24816, July 9, 1986]

§ 73.3112 C.I. Vat Orange 1.

- (a) **Identity.** The color additive is C.I. Vat Orange 1, Colour Index No. 59105.
- (b) **Uses and restrictions.**
 - (1) The substance listed in paragraph (a) of this section may be used as a color additive in contact lenses in amounts not to exceed the minimum reasonably required to accomplish the intended coloring effect.
 - (2) Authorization for this use shall not be construed as waiving any of the requirements of sections 510(k), 515, and 520(g) of the Federal Food, Drug, and Cosmetic Act (the act) with respect to the contact lens in which the color additive is used. A person intending to introduce a device containing C.I. Vat Orange 1 into commerce shall submit to the Food and Drug Administration either a premarket notification in accordance with subpart E of part 807 of this chapter, if the device is not subject to premarket approval, or submit and receive approval of an original or supplemental premarket approval application if the device is subject to premarket approval.
- (c) **Labeling.** The label of the color additive shall conform to the requirements of § 70.25 of this chapter.
- (d) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health, and therefore the color additive is exempt from the certification requirements of section 721(c) of the act.

[50 FR 20407, May 16, 1985]

§ 73.3115 2-[[2,5-Diethoxy-4-[(4-methylphenyl)thio]phenyl]azo]-1,3,5-benzenetriol.

- (a) **Identity.** The color additive 2-[[2,5-diethoxy-4-[(4-methylphenyl)thio]phenyl]azo]-1,3,5-benzenetriol is formed in situ in soft (hydrophilic) contact lenses.
- (b) **Uses and restrictions.** The color additive 2-[[2,5-diethoxy-4-[(4-methylphenyl)thio]phenyl]azo]-1,3,5-benzenetriol may be safely used to mark soft (hydrophilic) contact lenses with the letter R or the letter L for identification purposes subject to the following restrictions:
 - (1) The quantity of the color additive does not exceed 1.1×10^{-7} grams in a soft (hydrophilic) contact lens.
 - (2) When used as specified in the labeling, there is no measurable migration of the color additive from the contact lens to the surrounding ocular tissue.
 - (3) Authorization for this use shall not be construed as waiving any of the requirements of section 510(k) and 515 of the Federal Food, Drug, and Cosmetic Act with respect to the contact lens in which the color additive is used.
- (c) **Labeling.** The label of the color additive shall conform to the requirements of § 70.25 of this chapter.
- (d) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health, and therefore the color additive is exempt from the certification requirements of section 721(c) of the act.

[48 FR 22706, May 20, 1983]

§ 73.3117 16,23-Dihydrodinaphtho[2,3-a:2',3'-i] naphth [2',3':6,7] indolo [2,3-c] carbazole-5,10,15,17,22,24-hexone.

- (a) **Identity.** The color additive is 16,23-dihydrodinaphtho [2,3- a:2',3'-i] naph [2',3':6,7] indolo [2, 3-c] carbazole-5,10, 15,17,22,24-hexone (CAS Reg. No. 2475-33-4), Colour Index No. 70800.
- (b) **Uses and restrictions.**
 - (1) The substance listed in paragraph (a) of this section may be used as a color additive in contact lenses in amounts not to exceed the minimum reasonably required to accomplish the intended coloring effect.
 - (2) Authorization for this use shall not be construed as waiving any of the requirements of sections 510(k), 515, and 520(g) of the Federal Food, Drug, and Cosmetic Act with respect to the contact lens in which the color additive is used.
- (c) **Labeling.** The label of the color additive shall conform to the requirements of § 70.25 of this chapter.
- (d) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health, and therefore the color additive is exempt from the certification requirements of section 721(c) of the act.

[48 FR 31375, July 8, 1983]

§ 73.3118 N,N'-(9,10-Dihydro-9,10-dioxo-1,5-anthracenediyl) bisbenzamide.

- (a) **Identity.** The color additive is N,N'-(9,10-dihydro-9,10-dioxo-1,5-anthracenediyl) bisbenzamide (CAS Reg. No. 82-18-8), Colour Index No. 61725.
- (b) **Uses and restrictions.**
 - (1) The substance listed in paragraph (a) of this section may be used as a color additive in contact lenses in amounts not to exceed the minimum reasonably required to accomplish the intended coloring effect.
 - (2) Authorization for this use shall not be construed as waiving any of the requirements of sections 510(k), 515, and 520(g) of the Federal Food, Drug, and Cosmetic Act with respect to the contact lens in which the color additive is used.
- (c) **Labeling.** The label of the color additive shall conform to the requirements of § 70.25 of this chapter.
- (d) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health, and therefore the color additive is exempt from the certification requirements of section 721(c) of the act.

[48 FR 31375, July 8, 1983]

§ 73.3119 7,16-Dichloro-6,15-dihydro-5,9,14,18-anthrazinetetrone.

- (a) **Identity.** The color additive is 7,16-dichloro-6,15-dihydro-5,9,14,18-anthrazinetetrone (CAS Reg. No. 130-20-1), Colour Index No. 69825.
- (b) **Uses and restrictions.**
 - (1) The substance listed in paragraph (a) of this section may be used as a color additive in contact lenses in amounts not to exceed the minimum reasonably required to accomplish the intended coloring effect.
 - (2) Authorization for this use shall not be construed as waiving any of the requirements of sections 510(k), 515, and 520(g) of the Federal Food, Drug, and Cosmetic Act with respect to the contact lens in which the color additive is used.
- (c) **Labeling.** The label of the color additive shall conform to the requirements of § 70.25 of this chapter.
- (d) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health, and therefore the color additive is exempt from the certification requirements of section 721(c) of the act.

[48 FR 31376, July 8, 1983]

§ 73.3120 16,17-Dimethoxydinaphtho [1,2,3-cd:3',2',1'-lm] perylene-5,10-dione.

- (a) **Identity.** The color additive is 16,17-dimethoxydinaphtho[1,2,3-cd:3',2',1'-lm]perylene-5,10-dione (CAS Reg. No. 128-58-5), Colour Index No. 59825.
- (b) **Uses and restrictions.**

- (1) The substance listed in paragraph (a) of this section may be used as a color additive in contact lenses in amounts not to exceed the minimum reasonably required to accomplish the intended coloring effect.
- (2) Authorization for this use shall not be construed as waiving any of the requirements of sections 510(k), 515, and 520(g) of the Federal Food, Drug, and Cosmetic Act with respect to the contact lens in which the color additive is used.
- (c) **Labeling.** The label of the color additive shall conform to the requirements of § 70.25 of this chapter.
- (d) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health, and therefore the color additive is exempt from the certification requirements of section 721(c) of the act.

[48 FR 31376, July 8, 1983]

§ 73.3121 Poly(hydroxyethyl methacrylate)-dye copolymers.

- (a) **Identity.** The color additives are formed by reacting one or more of the reactive dyes listed in this paragraph with poly(hydroxyethyl methacrylate), so that the sulfate group (or groups) or chlorine substituent of the dye is replaced by an ether linkage to poly(hydroxyethyl methacrylate). The dyes that may be used alone or in combination are
 - (1) Reactive Black 5 [2,7-naphthalenedisulfonic acid, 4-amino-5-hydroxy-3,6-bis((4-((2-(sulfooxy)ethyl)sulfonyl)phenyl)azo)-tetrasodium salt] (CAS Reg. No. 17095-24-8);
 - (2) Reactive Blue 21 [copper, (29*H*,31*H*-phthalocyaninato(2-)-*N*²⁹,*N*³⁰,*N*³¹,*N*³²)-, sulfo((4-((2-(sulfooxy)ethyl)sulfonyl)phenyl)amino) sulfonyl derivs] (CAS Reg. No. 73049-92-0);
 - (3) Reactive Orange 78 [2-naphthalenesulfonic acid, 7-(acetilamino)-4-hydroxy-3-((4-((2-(sulfooxy)ethyl)sulfonyl)phenyl)azo)-] CAS Reg. No. 68189-39-9);
 - (4) Reactive Yellow 15 [benzensulfonic acid, 4-(4,5-dihydro-4-((2-methoxy-5-methyl-4-((2-(sulfooxy)ethyl)sulfonyl)phenyl)azo)-3-methyl-5-oxo-1*H*-pyrazol-1-yl)-] (CAS Reg. No. 60958-41-0);
 - (5) Reactive Blue No. 19 [2-anthracene-sulfonic acid, 1-amino-9,10-dihydro-9,10-dioxo-4-((3-((2-(sulfooxy)ethyl)sulfonyl)phenyl)amino)-, disodium salt] (CAS Reg. No. 2580-78-1);
 - (6) Reactive Blue No. 4 [2-anthracenesulfonic acid, 1-amino-4-(3-((4,6-dichloro-s-triazin-2-yl)amino)-4-sulfoanilino)-9,10-dihydro-9,10-dioxo, disodium salt] (CAS Reg. No. 4499-01-8);
 - (7) C.I. Reactive Red 11 [5-((4,6-dichloro-1,3,5-triazin-2-yl)amino)-4-hydroxy-3-((1-sulfo-2-naphthalenyl)azo)-2, 7-naphthalenedisulfonic acid, trisodium salt] (CAS Reg. No. 12226-08-3);
 - (8) C.I. Reactive Yellow 86 [1,3-benzenedisulfonic acid, 4-((5-aminocarbonyl-1-ethyl-1,6-dihydro-2-hydroxy-4-methyl-6-oxo-3-pyridinyl)azo)-6-(4,6-dichloro-1,3,5-triazin-2-yl), disodium salt] (CAS Reg. No. 61951-86-8);
 - (9) C.I. Reactive Blue 163 [triphenodioxazinedisulfonic acid, 6,13-dichloro-3, 10-bis((4-((4,6-dichloro-1,3,5-triazin-2-yl)amino) sulfophenyl)amino)-, tetrasodium salt] (CAS Reg. No. 72847-56-4); and

(10) C.I. Reactive Red 180

[5-(benzoylamino)-4-hydroxy-3-((1-sulfo-6-((2-(sulfooxy)ethyl)sulfonyl)-2-naphthalenyl)azo)-2,7-naphthalenedisulfonic acid, tetrasodium salt] (CAS Reg. No. 98114-32-0).

(b) **Uses and restrictions.**

- (1) The substances listed in paragraph (a) of this section may be used to color contact lenses in amounts not to exceed the minimum reasonably required to accomplish the intended coloring effect.
- (2) As part of the manufacturing process, the lenses containing the color additives are thoroughly washed to remove unbound reactive dyes.
- (3) Authorization and compliance with this use shall not be construed as waiving any of the requirements of sections 510(k), 515, and 520(g) of the Federal Food, Drug, and Cosmetic Act (the act). A person intending to introduce a device containing a poly(hydroxyethyl methacrylate)-dye copolymer listed under this section into commerce shall submit to the Food and Drug Administration either a premarket notification in accordance with subpart E of part 807 of this chapter, if the device is not subject to premarket approval, or submit and receive approval of an original or supplemental premarket approval application if the device is subject to premarket approval.

(c) **Labeling.** The label of the color additives shall conform to the requirements of § 70.25 of this chapter.

(d) **Exemption from certification.** Certification of these color additives is not necessary for the protection of the public health, and therefore these color additives are exempt from the certification requirements of section 721(c) of the act.

[49 FR 373, Jan. 4, 1984; 49 FR 5094, Feb. 10, 1984, as amended at 50 FR 9425, Mar. 8, 1985; 50 FR 33338, Aug. 19, 1985; 50 FR 37845, Sept. 18, 1985; 50 FR 45993, Nov. 6, 1985; 58 FR 9541, Feb. 22, 1993]

§ 73.3122 4-[(2,4-dimethylphenyl)azo]-2,4-dihydro-5-methyl-2-phenyl-3H-pyrazol-3-one.

(a) **Identity.** The color additive is 4-[(2,4-dimethylphenyl)azo]-2,4-dihydro-5-methyl-2-phenyl-3H-pyrazol-3-one (CAS Reg. No. 6407-78-9).

(b) **Uses and restrictions.**

- (1) The substances listed in paragraph (a) of this section may be used as a color additive in contact lenses in amounts not to exceed the minimum reasonably required to accomplish the intended coloring effect.
- (2) Authorization for this use shall not be construed as waiving any of the requirements of sections 510(k), 515, and 520(g) of the Federal Food, Drug, and Cosmetic Act with respect to the contact lens in which the color additive is used.

(c) **Labeling.** The label of the color additive shall conform to the requirements of § 70.25 of this chapter.

(d) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health, and therefore the color additive is exempt from the certification requirements of section 721(c) of the act.

[51 FR 11432, Apr. 3, 1986]

§ 73.3123 6-Ethoxy-2-(6-ethoxy-3-oxobenzo[b]thien-2(3H)-ylidene) benzo[b]thiophen-3 (2H)-one.

- (a) **Identity.** The color additive is 6-ethoxy-2-(6-ethoxy-3-oxobenzo [b]thien-2(3H)-ylidene)benzo[b]thiophen-3(2H)-one (CAS Reg. No. 3263-31-8), Colour Index No. 73335.
- (b) **Uses and restrictions.**
 - (1) The substance listed in paragraph (a) of this section may be used as a color additive in contact lenses in amounts not to exceed the minimum reasonably required to accomplish the intended coloring effect.
 - (2) Authorization for this use shall not be construed as waiving any of the requirements of sections 510(k), 515, and 520(g) of the Federal Food, Drug, and Cosmetic Act with respect to the contact lens in which the color additive is used.
- (c) **Labeling.** The label of the color additive shall conform to the requirements of § 70.25 of this chapter.
- (d) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health, and therefore the color additive is exempt from the certification requirements of section 721(c) of the act.

[51 FR 11436, Apr. 3, 1986]

§ 73.3124 Phthalocyanine green.

- (a) **Identity.** The color additive is phthalocyanine green (CAS Reg. No. 1328-53-6), Colour Index No. 74260.
- (b) **Uses and restrictions.**
 - (1) The substance listed in paragraph (a) of this section may be used as a color additive in contact lenses in amounts not to exceed the minimum reasonably required to accomplish the intended coloring effect.
 - (2) Authorization for this use shall not be construed as waiving any of the requirements of sections 510(k), 515, and 520(g) of the Federal Food, Drug, and Cosmetic Act with respect to the contact lens in which the additive is used.
- (c) **Labeling.** The label of the color additive shall conform to the requirements of § 70.25 of this chapter.
- (d) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health, and therefore the color additive is exempt from the certification requirements of section 721(c) of the act.

[51 FR 11433, Apr. 3, 1986]

§ 73.3125 Iron oxides.

- (a) **Identity and specifications.** The color additive iron oxides (CAS Reg. No. 1332-37-2), Color Index No. 77491, shall conform in identity and specifications to the requirements of § 73.2250 (a) and (b).
- (b) **Uses and restrictions.**

- (1) The substance listed in paragraph (a) of this section may be used as a color additive in contact lenses in amounts not to exceed the minimum reasonably required to accomplish the intended coloring effect.
- (2) Authorization and compliance with this use shall not be construed as waiving any of the requirements of sections 510(k), 515, and 520(g) of the Federal Food, Drug, and Cosmetic Act with respect to the contact lens in which the additive is used.
- (c) **Labeling.** The label of the color additive shall conform to the requirements of § 70.25 of this chapter.
- (d) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health, and therefore the color additive is exempt from the certification requirements of section 721(c) of the act.

[51 FR 24816, July 9, 1986, as amended at 69 FR 24511, May 4, 2004]

§ 73.3126 Titanium dioxide.

- (a) **Identity and specifications.** The color additive titanium dioxide (CAS Reg. No. 13463-67-7), Color Index No. 77891, shall conform in identity and specifications to the requirements of § 73.575(a)(1) and (b).
- (b) **Uses and restrictions.**
 - (1) The substance listed in paragraph (a) of this section may be used as a color additive in contact lenses and intraocular lens orientation marks in amounts not to exceed the minimum reasonably required to accomplish the intended coloring effect.
 - (2) Authorization and compliance with this use shall not be construed as waiving any of the requirements of sections 510(k), 515, and 520(g) of the Federal Food, Drug, and Cosmetic Act with respect to the contact lenses in which the additive is used.
- (c) **Labeling.** The label of the color additive shall conform to the requirements of § 70.25 of this chapter.
- (d) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health, and therefore the color additive is exempt from the certification requirements of section 721(c) of the act.

[51 FR 24816, July 9, 1986, as amended at 81 FR 75692, Nov. 1, 2016]

§ 73.3127 Vinyl alcohol/methyl methacrylate-dye reaction products.

- (a) **Identity.** The color additives are formed by reacting the dyes, either alone or in combination, with a vinyl alcohol/methyl methacrylate copolymer, so that the sulfate groups of the dyes are replaced by ether linkages to the vinyl alcohol/methyl methacrylate copolymer. The dyes are:
 - (1) C.I. Reactive Red 180
[5-(benzoylamino)-4-hydroxy-3-((1-sulfo-6-((2-(sulfooxy)ethyl)sulfonyl)-2-naphthalenyl)azo)-2,7-naphthalenedisulfonic acid, tetrasodium salt] (CAS Reg. No. 98114-32-0).
 - (2) C.I. Reactive Black 5 [2,7-naphthalenedisulfonic acid, 4-amino-5-hydroxy-3,6-bis((4-((2-(sulfooxy)ethyl)sulfonyl)phenyl)azo)-, tetrasodium salt] (CAS Reg. No. 17095-24-8).

- (3) C.I. Reactive Orange 78 [2-naphthalenesulfonic acid, 7-(acetylamino)-4-hydroxy-3-((4-((2-(sulfooxy)ethyl)sulfonyl)phenyl)azo)-] (CAS Reg. No. 68189-39-9).
- (4) C.I. Reactive Yellow 15 [benzenesulfonic acid, 4-(4,5-dihydro-4-((2-methoxy-5-methyl-4-((2-(sulfooxy)ethyl)sulfonyl)phenyl)azo)-3-methyl-5-oxo-1H-pyrazol-1-yl)] (CAS Reg. No. 60958-41-0).
- (5) C.I. Reactive Blue No. 19 [2-anthracenesulfonic acid, 1-amino-9,10-dihydro-9,10-dioxo-4-((3-((2-(sulfooxy)ethyl)sulfonyl)phenyl)amino)-, disodium salt] (CAS Reg. No. 2580-78-1).
- (6) C.I. Reactive Blue 21 [copper, (29H,31H-phthalocyaninato(2-)-N²⁹, N³⁰, N³¹, N³²)-, sulfo((4-((2-(sulfooxy)ethyl)sulfonyl)phenyl)amino)sulfonyl derivatives] (CAS Reg. No. 73049-92-0).

(b) **Uses and restrictions.**

- (1) The substances listed in paragraph (a) of this section may be used to color contact lenses in amounts not to exceed the minimum reasonably required to accomplish the intended coloring effect.
- (2) As part of the manufacturing process, the lenses containing the color additives are thoroughly washed to remove unbound reactive dye.
- (3) Authorization and compliance with this use shall not be construed as waiving any of the requirements of sections 510(k), 515, and 520(g) of the Federal Food, Drug, and Cosmetic Act (the act). A person intending to introduce a device containing a vinyl alcohol/methyl methacrylate-dye reaction product listed under this section into commerce shall submit to the Food and Drug Administration either a premarket notification in accordance with subpart E of part 807 of this chapter, if the device is not subject to premarket approval, or submit and receive approval of an original or supplemental premarket approval application if the device is subject to premarket approval.

(c) **Labeling.** The label of the color additive shall conform to the requirements of § 70.25 of this chapter.

(d) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health, and therefore, this color additive is exempt from the certification requirements of section 721(c) of the act.

[58 FR 3227, Jan. 8, 1993, as amended at 58 FR 17510, Apr. 5, 1993]

§ 73.3128 Mica-based pearlescent pigments.

(a) **Identity and specifications.** The color additive is formed by depositing titanium or iron salts from a basic solution onto mica, followed by calcination to produce titanium dioxide or iron oxides on mica. Mica used to manufacture the color additive shall conform in identity and specifications to the requirements of § 73.1496(a)(1) and (b).

(b) **Uses and restrictions.**

- (1) Mica-based pearlescent pigments listed in paragraph (a) of this section may be used as a color additive in contact lenses in amounts not to exceed the minimum reasonably required to accomplish the intended coloring effect.

- (2) Authorization and compliance with this use shall not be construed as waiving any of the requirements of sections 510(k), 515, and 520(g) of the Federal Food, Drug, and Cosmetic Act (the act) with respect to the contact lenses in which the additive is used.
- (c) **Labeling.** The label of the color additive shall conform to the requirements in § 70.25 of this chapter.
- (d) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health, and therefore batches thereof are exempt from the certification requirements of section 721(c) of the act.

[67 FR 65312, Oct. 24, 2002]

§ 73.3129 Disodium

1-amino-4-[[4-[(2-bromo-1-oxoallyl)amino]-2-sulfonatophenyl]amino]-9,10-dihydro-9,10-dioxoanthracene-2-sulfonate

- (a) **Identity.** The color additive is disodium 1-amino-4-[[4-[(2-bromo-1-oxoallyl)amino]-2-sulfonatophenyl]amino]-9,10-dihydro-9,10-dioxoanthracene-2-sulfonate (Reactive Blue 69) (CAS Reg. No. 70209-99-3, Colour Index No. 612037).
- (b) **Uses and restrictions.**
 - (1) The substance listed in paragraph (a) of this section may be used as a color additive in contact lenses in amounts not to exceed the minimum reasonably required to accomplish the intended coloring effect.
 - (2) Authorization and compliance with this use shall not be construed as waiving any of the requirements of sections 510(k), 515, and 520(g) of the Federal Food, Drug, and Cosmetic Act with respect to the contact lenses in which the additive is used.
- (c) **Labeling.** The label of the color additive shall conform to the requirements in § 70.25 of this chapter.
- (d) **Exemption from certification.** Certification of this color additive is not necessary for the protection of the public health, and therefore batches thereof are exempt from the certification requirements of section 721(c) of the Federal Food, Drug, and Cosmetic Act.

[76 FR 25235, May 4, 2011, as amended at 78 FR 14664, Mar. 7, 2013]